



# Federal Republic of Nigeria

## Official Gazette

**No. 165**

**Lagos -15th September, 2023**

**Vol. 110**

*Government Notice No. 139*

The following is published as supplement to this *Gazette* :

<i>S. I. No.</i>	<i>Short Title</i>	<i>Page</i>
78	Part 16 — Environmental Protection - Carbon Offsetting and Reduction Scheme for International Aviation (CORSIA) .. ..	B3751-3805

---

Printed and Published by The Federal Government Printer, Lagos, Nigeria  
FGP 247/92023/600

Annual Subscription from 1st January, 2023 is Local : ₦50,000.00 Overseas : ₦65,000.00 [Surface Mail] ₦80,000.00 [Second Class Air Mail]. Present issue ₦5,000 per copy. Subscribers who wish to obtain *Gazette* after 1st January should apply to the Federal Government Printer, Lagos for amended Subscriptions.

**B 3750**



**NIGERIA CIVIL AVIATION REGULATIONS**  
**PART 16 — ENVIRONMENTAL PROTECTION**  
**CARBON OFFSETTING AND REDUCTION SCHEME FOR**  
**INTERNATIONAL AVIATION (CORSA)**

**INTRODUCTION**

Part 16 presents and incorporates ICAO Standards and Recommended Practices (SARPs) in Annex 16 Volume IV, Amendment 1 as regulatory requirements for the Carbon Offsetting and Reduction Scheme for International Aviation (CORSA) which is the first global market-based measure that complements the other basket of measures.

This Part also provides the general requirements for Monitoring, Reporting and Verification (MRV) of Aeroplane operator annual CO<sub>2</sub> emissions.

---

**B 3752**



**NIGERIA CIVIL AVIATION REGULATIONS**  
**PART 16 — ENVIRONMENTAL PROTECTION**  
**CARBON OFFSETTING AND REDUCTION SCHEME FOR**  
**INTERNATIONAL AVIATION (CORSA)**



ARRANGEMENT OF CONTENTS

*Contents :*

- 16.1 GENERAL
  - 16.1.1.1 Applicability
- 16.2 DEFINITIONS AND ABBREVIATIONS
  - 16.2.1.1 Definitions
  - 16.2.1.2 Abbreviations
- 16.3 ADMINISTRATION
  - 16.3.1.1 Applicability
  - 16.3.1.2 Attribution of an Aeroplane Operator to Nigeria
  - 16.3.1.3 Attribution of International Flights to an Aeroplane Operator
  - 16.3.1.4 Record Keeping
  - 16.3.1.5 Compliance periods and Timeline
  - 16.3.1.6 Equivalent Procedures
- 16.4 MONITORING, REPORTING AND VERIFICATION OF AEROPLANE OPERATOR ANNUAL CO<sub>2</sub> EMISSIONS
  - 16.4.1 General Requirements
    - 16.4.1.1 Applicability of MRV Requirements
  - 16.4.2 Monitoring of CO<sub>2</sub> Emissions
    - 16.4.2.1 Eligibility of Monitoring Methods
    - 16.4.2.2 Compliance Period
    - 16.4.2.3 2021 – 2032 Compliance Period
    - 16.4.2.4 Emission Monitoring Plan
    - 16.4.2.5 Calculation of CO<sub>2</sub> Emissions from Aeroplane Fuel Use
    - 16.4.2.6 Monitoring of CORSIA Eligible Fuel Claims
  - 16.4.3 Reporting of CO<sub>2</sub> Emissions
    - 16.4.3.1 CO<sub>2</sub> Emissions Occurred during Reporting Periods
    - 16.4.3.2 CO<sub>2</sub> Emissions Occurred during Reporting Periods of 2021-2035
    - 16.4.3.3 Aeroplane Operator’s Emissions Report
    - 16.4.3.4 Publishing Emissions Report Information
    - 16.4.3.5 Reporting of CORSIA Eligible Fuels
    - 16.4.3.6 The Authority Reporting to ICAO

## **B 3754**

- 16.4.4 Verification of CO2 Emissions
  - 16.4.4.1 Verification of an Emissions Report and Submission of Relevant Reports
- 16.4.5 Data Gaps and Error Correction
  - 16.4.5.1 Data Gaps
  - 16.4.5.2 Error Correction
- 16.5 CO2 OFFSETTING REQUIREMENTS FROM INTERNATIONAL FLIGHTS AND EMISSIONS REDUCTION FROM THE USE OF CORSIA ELIGIBLE FUELS
  - 16.5.1 General Requirements
    - 16.5.1.1 Applicability of CO2 Offsetting Requirements
    - 16.5.1.2 Offsetting Requirements
    - 16.5.1.3 Emissions Reduction from the Use of CORSIA Eligible Fuels
    - 16.5.1.4 Total Final CO2 Offsetting Requirements for a given Compliance Period with Emissions Reductions from the Use of CORSIA Eligible Fuels
- 16.6 EMISSIONS UNITS
  - 16.6.1 General Requirements
    - 16.6.1.1 Applicability of Emissions Units
    - 16.6.1.2 Cancelling CORSIA Eligible Emissions Units
    - 16.6.1.3 Reporting Emissions Unit Cancellation
  - 16.6.2 Verification of Emissions Unit Cancellation Report
    - 16.6.2.1 Verification of an Aeroplane Operator's Emissions Unit Cancellation Report
- 16.7 VERIFICATION BODY AND NATIONAL ACCREDITATION BODY
  - 16.7.1 Verification Body
    - 16.7.1.1 National Verification Body
    - 16.7.1.2 Others Verification Body
  - 16.7.2 Accreditation Body
    - 16.7.2.1 National Accreditation Body
- 16.8 ADMINISTRATIVE PROCESS
  - 16.8.1 Administration Agreements
    - 16.8.1.1 General Requirements
    - 16.8.1.2 Delegation
    - 16.8.1.3 Capacity Support through an Administrative Partnership

### IMPLEMENTING STANDARDS

- IS: 16.4.2.1 Fuel Use Monitoring Methods
- IS: 16.4.2.4 Emissions Monitoring Plan
- IS: 16.4.3.3 Emissions Report from Aeroplane Operator to State
- IS: 16.4.3.6 Content of Emissions Report from State to ICAO
- IS: 16.6.2.1 Requirements for Conducting the Verification
- IS: 16.7.1.1 Verification Body

S. I. No. 78 of 2023

## NIGERIA CIVIL AVIATION REGULATIONS

### PART 16 — ENVIRONMENTAL PROTECTION CARBON OFFSETTING AND REDUCTION SCHEME FOR INTERNATIONAL AVIATION (CORSIA)

#### 16.1. GENERAL

16.1.1.1. This Part is applicable to :

Applicability

- (a) an aeroplane operator attributed to Nigeria that produces annual CO<sub>2</sub> emissions greater than 10000 tonnes ; and
- (b) Aircraft Operators (Airlines) with a maximum certificated take-off mass greater than 5 700 kg conducting international flights with the exception of humanitarian, medical and fire fighting flights.

#### 16.2. DEFINITIONS AND ABBREVIATIONS

16.2.1.1. For the purpose of this Part, the following definitions shall apply :

Definitions

“*Administrative partnership*” means delegation of administering tasks in this volume from one State to another State(s).

“*Aerodrome*” means a defined area on land or water (including any buildings, installations and equipment) intended to be used either wholly or in part for the arrival, departure and surface movement of aircraft.

“*Aerodrome Pair*” means a group of two aerodromes composed of a departing aerodrome and an arrival aerodrome.

“*Aeroplane*” means a power-driven heavier-than-air aircraft, deriving its lift in flight chiefly from aerodynamic reactions on surfaces which remain fixed under given conditions of flight.

“*Aeroplane Owner*” means Person(s), organization(s) or enterprise(s) identified via Item 4 (Name of owner) and Item 5 (Address of owner) on the certificate of registration of an aeroplane.

“*Air Operator Certificate (AOC)*” means a certificate authorizing an operator to carry out specified commercial air transport operations.

“*Authority*” means the civil aviation authority by the State to which it is attributed.

“*Conversion process*” means a type of technology used to convert a feedstock into aviation fuel.

“*CORSIA Eligible Fuel*” means a CORSIA sustainable aviation fuel or a CORSIA lower carbon aviation fuel, which an operator may use to reduce their offsetting requirements.

“*CORSIA Lower Carbon Aviation Fuel*” means a fossil-based aviation fuel that meets the CORSIA Sustainability Criteria under this Volume.

“*CORSIA Sustainable Aviation Fuel*” means a renewable or waste-derived aviation fuel that meets the CORSIA Sustainability Criteria under this Volume.

“*Feedstock*” means a type of unprocessed raw material used for the production of aviation fuel.

“*Flight Plan*” means specified information provided to air traffic services units, relative to an intended flight or portion of a flight of an aircraft.

“*Fuel Uplift*” means a measurement of fuel provided by the fuel supplier, as documented in the fuel delivery notes or invoices for each flight (in litre).

“*Great Circle Distance*” means the shortest distance, rounded to the nearest kilometre, between the origin and the destination aerodromes, measured over the earth’s surface modelled according to the World Geodetic System 1984 (WGS84). Note. Latitude and longitude coordinates of aerodromes can be obtained from the ICAO Location Indicators database.

“*International Flights*” means the operation of an aircraft from take-off at an aerodrome of a State or its territories and landing at an aerodrome of another State or its territories.

“*Domestic Flight*” means the operation of an aircraft from take-off at an aerodrome of a State or its territories and landing at an aerodrome of the same State or its territories.

“*National Accreditation Body*” means a body authorized by a State which attests that a verification body is competent to provide specific verification services.

“*New Entrant*” means any aeroplane operator that commences an aviation activity falling within the scope of this Volume on or after its entry into force and whose activity is not in whole or in part a continuation of an aviation activity previously performed by another aeroplane operator.

“*Notifying State*” means the State that has submitted to ICAO the request for the registration of or change in the three-letter designator of an aeroplane operator over which it has jurisdiction.

“*Operator*” means the person, organization or enterprise engaged in or offering to engage in an aircraft operation.

“*Pathway*” means a specific combination of feedstock and conversion process used for the production of aviation fuel.

“*Reporting Period*” means a period which commences on 1 January and finishes on 31 December in a given year for which an aeroplane operator or State reports required information. The flight departure time (UTC) determines which reporting period a flight belongs to.

“*State pair*” means a group of two States composed of a departing State or its territories and an arrival State or its territories.

“*Verification Body*” means a legal entity that performs the verification of an Emissions Report and, when required, an Emissions Unit Cancellation Report, as an accredited independent third party.

“*Verification of Report*” means an independent, systematic and sufficiently documented evaluation process of an emissions report and, when required, a cancellation of eligible emissions units report.

“*Verification Report*” means a document, drafted by the verification body, containing the verification statement and required supporting information.

“*Verification Team*” means a group of verifiers, or a single verifier that also qualifies as a team leader, belonging to a Verification body conducting the verification of an Emissions Report and, when required, an Emissions Unit Cancellation Report. The team can be supported by technical experts.

*Note* : Every other term not defined herein shall have the same meaning as contained in the Act and the Chicago Convention and its Annexes.

**16.2.1.2.** The following abbreviations are used in Part 16 :

Abbreviations

- (1) ACARS — Aircraft Communications Addressing and Reporting System ;
- (2) AOC — Air operator certificate ;
- (3) CERT — CO2 Estimation and Reporting Tool ;
- (4) CO2 — Carbon dioxide ;
- (5) CO2e — Carbon dioxide equivalent ;
- (6) CORSIA — Carbon Offsetting and Reduction Scheme for International Aviation ;
- (7) GHG — Greenhouse gases ;
- (8) IAF — International Accreditation Forum ;
- (9) IEC — International Electro technical Commission ;
- (10) ISO — International Organization for Standardization ;
- (11) MRV — Monitoring, Reporting and Verification ;
- (12) MJ — Mega joule ;
- (13) RTK — Revenue Tonne Kilometres.

### 16.3. ADMINISTRATION

**16.3.1.1.**—(a) This Part shall be applicable to an aeroplane operator attributed to Nigeria according to the approach in subsection 16.3.1.2 (a). Applicability.

**16.3.1.2.**—(a) The aeroplane operator is considered attributed to Nigeria under this Part in the following cases : Attribution of an Aeroplane Operator to Nigeria.

(1) Where the aeroplane operator has an International Civil Aviation Organization (ICAO) Designator, which is notified by Nigeria ;

(2) Where the aeroplane operator does not possess an ICAO Designator, but has a valid air operator certificate (or equivalent) issued by Nigeria ; or

(3) Where the aeroplane operator does not possess an ICAO Designator or air operator certificate, but is registered as juridical person in Nigeria. This also applies where the aeroplane operator is a natural person having residence and registration in Nigeria.

(b) When the aeroplane operator changes its ICAO Designator, AOC (or equivalent) or place of juridical registration, and is subsequently attributed to a new State, but it is not establishing a new entity or a subsidiary, then this State becomes the State to which the aeroplane operator fulfils its requirements under CORSIA at the start of the next compliance period.

(c) The Authority will ensure the correct attribution of an aeroplane operator according to the requirements in subsection 16.3.1.2 (a).

(d) The aeroplane operator with a wholly owned subsidiary aeroplane operator that is legally registered in Nigeria can be treated as a single consolidated aeroplane operator liable for compliance with the requirements of this Part , subject to the approval of the Authority. Evidence shall be provided in the aeroplane operator's Emissions Monitoring Plan (refer to Subpart 16.4.2) to demonstrate that the subsidiary aeroplane operator is wholly owned.

(e) The Authority will submit to ICAO a list of aeroplane operators which are attributed to it annually by 30 November thereafter. The Authority may submit updates to this list to ICAO on a more frequent basis.

(f) The state shall use the ICAO document entitled "CORSA Aeroplane Operator to state attributions" that is available on the ICAO CORSA website to meet its requirements under 16.3.1.2(c).

Attribution  
of  
International  
Flights to an  
Aeroplane  
Operator

**16.3.1.3.**—(a) The aeroplane operator shall identify international flights that are attributed to it according to the approach in 16.3.1.3 (b).

(b) A specific international flight shall be attributed to the aeroplane operator as follows :

(1) ICAO Designator: When Item 7 (aircraft identification) of the flight plan contains the ICAO Designator, that flight shall be attributed to the aeroplane operator that has been assigned this Designator ;

(2) Registration marks : When Item 7 (aircraft identification) of the flight plan contains the nationality or common mark, and registration mark of an aeroplane that is explicitly listed in an air operator certificate (or equivalent) issued by Nigeria, that flight shall be attributed to the aeroplane operator that holds the air operator certificate (or equivalent) ; or

(3) Other : When the aeroplane operator of a flight has not been identified by either :

(a) or (b), that flight shall be attributed to the aeroplane owner who shall then be considered the aeroplane operator.

(c) Upon request by the Authority, owners of aeroplanes registered in Nigeria shall provide all information necessary to identify the actual aeroplane operator of a flight.

(d) The aeroplane operator may delegate the administrative requirements of this Part to a third-party contractor as long as the delegation is not the same entity as the verification body. The third-party contractor may conduct verification services for the aeroplane operator as prescribed in 16.4.4.1 Liability for compliance shall remain with the aeroplane operator in all situations.

(e) The Authority will ensure the correct attribution of an international flight departing from an aerodrome in its territory to an aeroplane operator using

the approach in 16.3.1.3 (b) and perform the required order of magnitude checks to ensure the completeness of reported data as described in 16.4.4.1 (d).

**16.3.1.4.**—(a) The aeroplane operator shall keep records relevant to demonstrating compliance with the requirements of this Part for a period of 10 years.

Record keeping.

(b) The Authority will keep records relevant to the aeroplane operator's CO<sub>2</sub> emissions per State pair during the period of 2019- 2020 in order to calculate the aeroplane operator's offsetting requirements during the 2030-2035 compliance periods.

(c) The aeroplane operator shall keep records relevant to its CO<sub>2</sub> emissions per State pair during the 2019-2020 period in order to cross-check its offsetting requirements calculated by the Authority during the 2030-2035 compliance periods.

**16.3.1.5.**—(a) States and aeroplane operators shall comply with the requirements in 16.4, 16.5.

Compliance periods and timeline.

**16.3.1.6.**—(a) The use of equivalent procedures in lieu of the procedures specified in this Volume of Part 16 shall be approved by the State to which the aeroplane operator has been attributed in 16.3.1.2 Equivalent procedures shall demonstrably meet the requirements in this Volume of Part 16.

Equivalent procedures.

*Note.*—Guidance material, including the use of equivalent procedures, is provided in the Environmental Technical Manual (Doc 9501), Volume IV—Procedures for demonstrating compliance with the Carbon Offsetting and Reduction Scheme for International Aviation (CORSA).

#### **16.4. MONITORING, REPORTING AND VERIFICATION (MRV) OF AEROPLANE OPERATOR ANNUAL CO<sub>2</sub> EMISSIONS**

##### **16.4.1. GENERAL REQUIREMENTS**

**16.4.1.1.**—(a) This Subpart shall be applicable to an aeroplane operator attributed to Nigeria that produces annual CO<sub>2</sub> emissions greater than 10000 tonnes from the use of an aeroplane(s) with a maximum certificated take-off mass greater than 5 700 kg conducting international flights on or after 1 January 2019, with the exception of humanitarian, medical and firefighting flights.

Applicability of MRV Requirements

(b) When considering whether a flight is international or domestic, an aeroplane operator and a State shall use, for the purpose of this Volume, Doc 7910 — Location Indicators, which contains a list of aerodromes and the State they are attributed to.

*Note :* Further guidance material is also provided in the Environmental Technical Manual (Doc 9501), Volume IV – Procedures for demonstrating compliance with the Carbon Offsetting and Reduction Scheme for International Aviation (CORSA).

**B 3760**

(c) This Subpart shall not be applicable to international flights preceding or following a humanitarian, medical or firefighting flight provided such flights were conducted with the same aeroplane, and were required to accomplish the related humanitarian, medical or firefighting activities or to reposition thereafter the aeroplane for its next activity. The aeroplane operator shall provide supporting evidence of such activities to the verification body or, upon request, to the Authority.

(d) This Subpart shall be applicable to a new entrant aeroplane operator attributed to Nigeria from the year after it meets the requirements in subsection 16.4.1.1, (a) and (c).

(e) If the aeroplane operator is close to the threshold of annual CO<sub>2</sub> emissions, as defined in 16.4.1.1 (a) and (c), from international flights, as defined in 16.3.1.3 (b)(1), it shall consider engaging with the State to which it is attributed for guidance. Likewise, the Authority will carry out oversight of the aeroplane operators attributed to it, and engage with any that it considers may be close to or above the threshold. The aeroplane operator with annual CO<sub>2</sub> emissions below the threshold may choose to voluntarily engage with the State to which it is attributed.

**16.4.2. MONITORING OF CO<sub>2</sub> Emissions**

Eligibility of  
Monitoring  
Methods

**16.4.2.1.—(a)** The aeroplane operator shall monitor and record its fuel use from international flights in accordance with an eligible monitoring method.

(b) An aeroplane operator's fuel use monitoring method shall be submitted for approval by The Authority.

(c) Following approval of the Emissions Monitoring Plan, the aeroplane operator shall use the same eligible monitoring method for the entire compliance period.

(d) IS: 16.4.2.1 provide the fuel use monitoring methods.

2019-2020  
Compliance  
Period

**16.4.2.2.—(a)** The aeroplane operator with annual CO<sub>2</sub> emissions from international flights under the applicability of this Subpart, greater than or equal to 500 000 tonnes shall use a Fuel Use Monitoring Method as described in IS: 16.4.2.1

(b) The aeroplane operator with annual CO<sub>2</sub> emissions from international flights under the applicability of This Subpart, of less than 500000 tonnes shall use either a Fuel Use Monitoring Method or the ICAO CORSIA CO<sub>2</sub> Estimation and Reporting Tool (CERT).

(c) If the aeroplane operator's annual CO<sub>2</sub> emissions from international flights increases above the threshold of 500 000 tonnes in 2019, The Authority will permit, at its discretion, the aeroplane operator to continue to use the chosen monitoring method during 2020.

(d) The aeroplane operator shall use the same monitoring method during the 2019- 2020 period that it expects to use during the 2021- 2023 period, taking into account its expected annual CO<sub>2</sub> emissions during the 2021-2023 period. If the aeroplane operator needs to change monitoring method, it will submit a revised Emissions Monitoring Plan by 30 September 2020 in order to implement the new monitoring method from 1 January 2021.

(e) If the aeroplane operator does not have an approved Emissions Monitoring Plan as of 1 January 2019, it shall monitor and record its CO<sub>2</sub> emissions in accordance with the eligible monitoring method outlined in the Emissions Monitoring Plan that it will submit, or has submitted, to the Authority.

(f) If the aeroplane operator's Emissions Monitoring Plan is determined to be incomplete and/or inconsistent with the eligible Fuel Use Monitoring Method, then the Authority will, at its discretion, approve a different eligible Fuel Use Monitoring Method within the Emissions Monitoring Plan for a period lasting no later than 30 June 2019.

(g) If the aeroplane operator does not have sufficient information to use a Fuel Use Monitoring Method, The Authority will, at its discretion, approve the use of the ICAO CORSIA CO<sub>2</sub> Estimation and Reporting Tool (CERT) for a period lasting no later than 30 June 2019.

**16.4.2.3.—(a)** The aeroplane operator with annual CO<sub>2</sub> emissions from international flights subject to offsetting requirements of greater than or equal to 50 000 tonnes, shall use a Fuel Use Monitoring Method as described in IS: 16.4.2.1 for these flights. For international flights not subject to offsetting requirements the aeroplane operator shall use either a Fuel Use Monitoring Method, or the ICAO CORSIA CO<sub>2</sub> Estimation and Reporting Tool (CERT).

2021-2035  
Compliance  
Period

(b) The aeroplane operator, with annual CO<sub>2</sub> emissions from international flights subject to offsetting requirements of less than 50 000 tonnes, shall use either a Fuel Use Monitoring Method or the ICAO CORSIA CO<sub>2</sub> Estimation and Reporting Tool (CERT).

(c) If the aeroplane operator's annual CO<sub>2</sub> emissions from international flights subject to offsetting requirements increases above the threshold of 50 000 tonnes in a given year (y), and also in year (y+1), the aeroplane operator shall submit an updated Emissions Monitoring Plan by 30 September of year (y+2). The aeroplane operator shall change to a Fuel Use Monitoring Method, as described in IS: 16.4.2.1, on 1 January of year (y+3).

(d) If the aeroplane operator's annual CO<sub>2</sub> emissions from international flights subject to offsetting requirements decreases below the threshold of 50000 tonnes in a given year (y), and also in year (y+1), the aeroplane operator may change monitoring method on 1 January of year (y+3). If the aeroplane operator chooses to change its monitoring method, it shall submit an updated Emissions Monitoring Plan by 30 September of year (y+2).

**16.4.2.4.—(a)** The aeroplane operator shall submit an Emissions Monitoring Plan to The Authority.

(b) The Emissions Monitoring Plan shall contain the information as defined in IS 16.4 .2.1.

(c) The aeroplane operator shall submit the Emissions Monitoring Plan to The Authority in the form prescribed by The Authority.

(d) The Authority will engage with the aeroplane operator to resolve any outstanding issues identified in an Emissions Monitoring Plan, and the aeroplane operator's Emissions Monitoring Plan shall be submitted for approval by The Authority.

(e) The Authority will decide on the level of aggregation (i.e., State pair or aerodrome pair) for which an aeroplane operator shall report the number of international flights and CO<sub>2</sub> emissions, and the Authority will inform the aeroplane operator on the level of aggregation during the approval process for the Emissions Monitoring Plan.

(f) A new entrant aeroplane operator shall submit an Emissions Monitoring Plan to the Authority within three months of falling within the scope of applicability of This Subpart.

(g) The aeroplane operator shall re submit the Emissions Monitoring Plan to the Authority if a material change is made to the information contained within the Emissions Monitoring Plan.

*Note.* : Material change to the information contained within the Emissions Monitoring Plan means a change to the information presented in the plan that would affect the status or eligibility of the aeroplane operator for an option under the emissions monitoring requirements, or that would otherwise affect the decision by the State to which the aeroplane operator is attributed with regard to whether the aeroplane operator's approach to monitoring conforms with the requirements).

(h) The aeroplane operator shall inform the Authority of changes that would affect the Authority's oversight (e.g., change in corporate name or address), even if the changes do not fall within the definition of a material change.

**16.4.2.5.—(a)** The aeroplane operator shall apply a fuel density value to calculate fuel mass where the amount of fuel uplift is determined in units of volume.

(b) The aeroplane operator shall record the fuel density that is used for operational and safety reasons. Fuel density may be an actual or a standard value of 0.8 kg per litre. The aeroplane operator shall detail the procedure for informing the use of actual or standard density in the Emissions Monitoring Plan along with a reference to the relevant aeroplane operator documentation.

(c) The aeroplane operator using a Fuel Use Monitoring Method shall determine the CO<sub>2</sub> emissions from international flights using the following equation :

$$\text{CO}_2 = \sum_f M_f * \text{FCF}_f$$

where : CO<sub>2</sub> = CO<sub>2</sub> emissions (in tonnes); M<sub>f</sub> = Mass of fuel f used (in tonnes) ; and

FCF<sub>f</sub> = Fuel conversion factor of given fuel f, equal to 3.1 (in kg CO<sub>2</sub>/kg fuel) for Jet-A fuel /Jet-A1 fuel and 3.10 (in kg CO<sub>2</sub>/kg fuel) for AvGas or Jet-B fuel.

*Note.*: For the purpose of calculating CO<sub>2</sub> emissions the mass of fuel used includes all aviation fuels.

**16.4.2.6.**—(a) The aeroplane operator that intends to claim for emissions reductions from the use of CORSIA eligible fuels shall use a CORSIA eligible fuel that meets the CORSIA Sustainability Criteria as defined within the ICAO document entitled “CORSIA Sustainability Criteria for CORSIA Eligible Fuels”.

Monitoring  
of CORSIA  
Eligible Fuel  
Claims

*Note.*: ICAO document entitled “CORSIA Sustainability Criteria for CORSIA Eligible Fuels” is available on the ICAO CORSIA website.

(a) The aeroplane operator that intends to claim for emissions reductions from the use of CORSIA eligible fuels shall only use CORSIA eligible fuels from fuel producers that are certified by an approved Sustainability Certification Scheme included in the ICAO document entitled “CORSIA Approved Sustainability Certification Schemes”. Such certification schemes meet the requirements included in the ICAO document entitled “CORSIA Eligibility Framework and Requirements for Sustainability Certification Schemes.

*Note.*—1. ICAO document entitled “CORSIA Approved Sustainability Certification Schemes”, is available on the ICAO CORSIA website.

*Note.*— 2. ICAO document entitled “CORSIA Eligibility Framework and Requirements for Sustainability Certification Schemes”, is available on the ICAO CORSIA website.

(b) If the aeroplane operator cannot demonstrate the compliance of the CORSIA eligible fuel with the CORSIA Sustainability Criteria, then the fuel shall not be accounted for as CORSIA eligible fuel.

### **16.4.3. REPORTING OF CO<sub>2</sub> EMISSIONS**

**16.4.3.1.**—(a) The aeroplane operator shall submit to The Authority a copy of the verified Emissions Report and a copy of the associated Verification Report by 31 May in the calendar year which follows the reporting period.

CO<sub>2</sub>  
Emissions  
occurred  
during  
reporting  
periods of  
2019-2020

(b) When the aeroplane operator reports its consolidated CO<sub>2</sub> emissions from international flights during the 2019-2020 period, including subsidiary aeroplane operators, disaggregated data relating to each subsidiary aeroplane operator shall be appended to the main Emissions Report.

**B 3764**

CO2  
Emissions  
occurred  
during  
reporting  
periods of  
2021-2035

**16.4.3.2.—(a)** The aeroplane operator shall submit to the Authority a copy of the verified Emissions Report and a copy of the associated Verification Report by 30 April in the calendar year which follows the reporting period.

**16.4.3.3.—(a)** The Emissions Report shall include information contained in IS: 16.4.3.3 (a).

(b) The aeroplane operator shall submit the Emissions Report to the Authority in the form prescribed by the Authority.

(c) An aeroplane operator's Emissions Report shall be submitted for approval by the Authority.

Publishing  
Emissions  
Report  
information

**16.4.3.4.—(a)** In specific circumstances where the aeroplane operator operates a very limited number of State pairs that are subject to offsetting requirements, and/or a very limited number of State pairs that are not subject to offsetting requirements, it may request in writing to The Authority that such data not be published at the aeroplane operator level explaining the reasons why disclosure would harm its commercial interests. Based on this request, The Authority will determine whether this data is confidential.

(b) In specific circumstances where aggregated State pair data may be attributed to an identified aeroplane operator as a result of a very limited number of aeroplane operators conducting flights on a State pair, that aeroplane operator may request in writing to The Authority that such data not be published at State pair level, explaining the reasons why disclosure would harm their commercial interests. Based on this request, The Authority will should determine whether this data is confidential.

Reporting of  
CORSA  
eligible fuels

**16.4.3.5.—(a)** The use of CORSIA eligible fuel reported to the Authority will not include any fuels traded or sold to a third party.

(b) The aeroplane operator which participates in other greenhouse gas reductions schemes shall notify the Authority of such participation. This notification will include a declaration that CORSIA eligible fuels reported under this Part have not also been claimed under another greenhouse gas reduction scheme.

(c) The aeroplane operator may claim reduced emissions from using CORSIA eligible fuel in its Emissions Report. In Part to make such claim, the aeroplane operator must provide supplementary information as described in IS: 16.4.3.3.

(d) This information must originate at the blend point, and include fuel information from both the neat (unblended) fuel producer and the fuel blender.

(e) The aeroplane operator can decide when to make a CORSIA eligible fuel claim within a given compliance period for all CORSIA eligible fuel received by a blender within that compliance period.

(f) If the aeroplane operator purchases fuel from a supplier downstream from the fuel blender (e.g., from a distributor, another aeroplane operator, or an aerodrome- based fuel distributor), this fuel supplier shall provide all of the

requisite documentation in order for the emissions reductions from the use of CORSIA eligible fuels to be claimed by the aeroplane operator. The Authority reporting to ICAO is confidential.

**16.4.3.6.**—(a) Regarding the CO<sub>2</sub> emissions for year 2019, The Authority will, by 31 August 2020, report information as defined in IS: 16.21.3.6 (a) and (d), if applicable, to the International Civil Aviation Organization.

The Authority reporting to ICAO

(b) Regarding the CO<sub>2</sub> emissions for year 2020, The Authority will, by 31 August 2021, report information as defined in IS: 16.21.3.6 (b) and (d), if applicable, to the International Civil Aviation Organization.

(c) Regarding the CO<sub>2</sub> emissions for 2021-2035 period, The Authority will, by 31 July 2022, and by 31 July annually thereafter, report information as defined in IS : 16.4.3.6 (c) and (d), if applicable, to the International Civil Aviation Organization.

(d) In cases where subsection 16.4.3.4, (a) and (b) applies, The Authority will determine whether this data is confidential, and also inform the International Civil Aviation Organization of any data deemed confidential in accordance with subsection 16.4.3.4, (a) and (b) within the report to be submitted.

(e) All aeroplane operator data which is deemed confidential in accordance with subsection 16.4.3.4, (a) and (b) shall be aggregated without attribution to the specific aeroplane operator, and included within the ICAO document entitled “CORSIA Central Registry (CCR): Information and Data for Transparency”.

#### **16.4.4. VERIFICATION OF CO<sub>2</sub> EMISSIONS**

**16.4.4.1.**—(a) The aeroplane operator shall engage a verification body for the verification of its Emissions Report.

Note. For the purpose of this Part , the verification body is one of the verification bodies included in the list of verification bodies accredited in ICAO Contracting States, included within the ICAO document entitled “CORSIA Central Registry (CCR) : Information and Data for Transparency” is available on the ICAO CORSIA website.

Verification of an Emissions Report and Submission of relevant Reports

(b) The aeroplane operator shall perform an internal pre -verification of its Emissions Report prior to the verification by a verification body.

(c) A verification body shall conduct the verification according to ISO 14064-3:2006, and the relevant requirements in IS: 16.6.2.1.

(d) Following the verification of the Emissions Report by the verification body, the aeroplane operator and the verification body shall both independently submit, upon authorization by the aeroplane operator, a copy of the Emissions Report and associated Verification Report to the Authority, in accordance with the timeline in subsection 16.4.3.1, (a) and subsection 16.4.3.2 (a).

**B 3766**

(e) The Authority will perform an order of magnitude check of the Emissions Report.

(f) To facilitate order of magnitude checks and ensure the completeness of reported data, and where necessary to support the implementation of the requirements in this Part, The Authority will share, upon agreement with another State's Administrating Authority, specific data and information contained in the aeroplane operator's Emissions Report for aeroplane operators performing flights to and from the requesting State.

(g) The Authority will inform concerned aeroplane operators on the requests for data sharing. In the absence of an agreement between the two States, this information should not be disclosed to third parties.

(h) The Authority will share, upon a justified request from another State, data on aeroplane operators which are attributed to it, where the request relates to the correct attribution of flights to aeroplane operators. This includes leased aeroplanes where there is a risk of incorrect attribution of flights due to the complexity of leasing and Parent/Subsidiary arrangements between aeroplane operators. In addition, States shall support each other and provide flight information (e.g., from ATM systems), especially in cases where the flight is between two States which does not include the State to which the aeroplane operator is attributed. Such data includes origin and destination aerodromes, flight date and time, aircraft type.

*Note.* : As an example of leasing complexities, Operator A may lease its aeroplane to Operator B, with both operators using the same aeroplane during the year but Operator B not operating to the State making the request for information. The State regulating Operator A may want to confirm that the leased aeroplane is identified in the Emissions Report from Operator B to be confident that Operator A has not under reported.

(i) The Authority will provide the name of the verification body used to verify each Emissions Report upon a request for information disclosure.

(j) The Authority will inform concerned aeroplane operators of any request for information disclosure.

(k) Fuel purchases, transaction reports, fuel blending records and sustainability credentials shall constitute the documentary proof for the purpose of verification and approval of emissions reductions from the use of CORSIA eligible fuels.

(l) The aeroplane operator shall ensure that it, or its designated representative, has audit rights of the production records for the CORSIA eligible fuels that it purchases.

(m) When an audit provision is triggered, and an audit of the fuel producer is undertaken, the aeroplane operator shall share the results of the audit with the fuel producer so that the producer may then make it available to other aeroplane

operators seeking assurance on the fuel producer's internal processes for the purpose of this Volume.

*Note.* : The quality control assurances of CORSIA eligible fuel producers include declarations and/or process certifications, with periodic audits by verifiers, purchasers, or trusted entities. The process certifications, including the sustainability credentials, provide assurance that the CORSIA eligible fuel producer has established business processes to prevent double counting, and the periodic audits verify that the producer is following their established procedures. Purchasers and States may elect to independently audit the production records of the CORSIA eligible fuel producer in order to provide further assurance.

(n) In order to ensure this capability exists, CORSIA eligible fuel procurement controls shall seek to enable audit rights for fuel purchasers, aeroplane operators, or their designated representatives.

#### **16.4.5. DATA GAPS AND ERROR CORRECTION**

**16.4.5.1.**—(a) The aeroplane operator shall correct issues identified with the aeroplane operator's data and information management system in a timely manner to mitigate ongoing data gaps and system weaknesses.

Data Gaps.

(b) The aeroplane operator using a Fuel Use Monitoring Method shall fill a data gap by using the ICAO CORSIA CO<sub>2</sub> Estimation and Reporting Tool (CERT), provided that the data gaps during a compliance period do not exceed the following thresholds :

- (1) For 2019-2020 period: 5 per cent of international flights ;
- (2) For 2021-2035 period: 5 per cent of international flights subject to offsetting requirements.

(c) If the aeroplane operator realizes it has data gaps that exceed the threshold in subsection 16.4.5.1, (b), then the aeroplane operator shall engage with the Authority to take remedial action to address this.

(d) When the threshold is exceeded, the aeroplane operator shall state the percentage of international flights for the 2019-2020 period, or flights subject to offsetting requirements for the 2021-2035 period, that had data gaps, and provide an explanation to the Authority in their annual Emissions Report.

(e) The aeroplane operator shall fill all data gaps and correct systematic errors and misstatements prior to the submission of the Emissions Report.

(f) If the aeroplane operator does not provide its Emissions Report in accordance with the timeline, the Authority will engage with the aeroplane operator to obtain the necessary information. If this proves unsuccessful, then the Authority will estimate the aeroplane operator's annual emissions using the best available information and tools, such as the ICAO CORSIA CO<sub>2</sub> Estimation and Reporting Tool (CERT).

(g) If the State does not provide its annual aggregated Emissions Report to ICAO in accordance with the timelines as defined in this Part , then the data provided by ICAO shall be used to fill these gaps and calculate the total sectoral CO2 emissions in a given year and the Sectoral Growth Factor, as defined in Subpart 16.5.

Error  
Correction.

**16.4.5.2.**—(a) If an error in the aeroplane operator’s reported emissions is identified by the Authority, the verification body, or the aeroplane operator after the reported CO2 emissions have been submitted to ICAO, the Authority will update the reported CO2 emissions to address the error. The Authority will assess any implications with respect to the aeroplane operator’s offsetting requirements in previous years and, if necessary, make an adjustment to compensate for the error during the compliance period in which the error has been identified.

(b) The Authority will report an error in the aeroplane operator’s CO2 emissions and the follow-up result of the related adjustment to ICAO.

*Note.:* No adjustments will be made to the total sectoral CO2 emissions or the Sector’s Growth Factor (SGF), as defined in Subpart 16.5, as a result of error correction to Emissions Reports.

**16.5. CO2 OFFSETTING REQUIREMENTS FROM INTERNATIONAL FLIGHTS AND EMISSIONS REDUCTIONS FROM THE USE OF CORSIA ELIGIBLE FUELS**

**16.5.1. General Requirements**

Applicability  
Of CO2  
Offsetting  
Requirements

**16.5.1.1.**—(a) From 1 January 2021 to 31 December 2035, the offsetting requirements of this Sub-part shall be applicable to an aeroplane operator with international flights, as defined in 16.3.1.3 (b) (1) and 16.4.1.1, between States as defined in the ICAO document entitled “CORSIA States for Chapter 3 State Pairs”.

*Note. :* ICAO document entitled “CORSIA States for Chapter 3 State Pairs” is available on the ICAO CORSIA website.

(b) The requirements of this Sub-part shall not be applicable to a new entrant aeroplane operator for three years starting in the year when it meets the requirements in 16.4.1.1(a) and (c), or until its annual CO2 emissions exceed 0.1percent of total CO2 emissions from international flights, as defined in 16.3.1.3 (a) and 16.4.1.1, in 2020, whichever occurs earlier.

(c) The requirements of this Sub-part shall then be applicable in the subsequent year. The Authority will use the information on the total. CO2 emissions in 2020 from the ICAO document entitled “CORSIA 2020 Emissions”. This information will be produced in accordance with the timeline described in this Part .

*Note. :* ICAO document entitled “CORSIA 2020 Emissions” is available on the ICAO CORSIA website.

(d) The Authority will notify ICAO of their decision to voluntarily participate, or to discontinue the voluntary participation in CORSIA, for the purpose of the inclusion of the State in the ICAO document entitled “CORSIA States for Chapter 3 State Pairs”, according to the timeline described in this Part.

*Note.* : The ICAO document entitled “CORSIA States for Chapter 3 State Pairs “is available on the ICAO CORSIA website includes : (a) States that have volunteered to participate during the compliance periods from 1 January 2021 to 31 December 2026 ;

(e) States, with the exception of Least Developed Countries (LDCs), Small Island Developing States (SIDS) and Land locked Developing Countries (LLDCs), which meet the following criteria during the compliance periods from 1 January 2027 to 31 December 2035 :

(i) An individual share of international aviation activities in RTKs in the year 2018 above 0.5 percent of total RTKs ; or

(ii) Whose cumulative share in the list of States from the highest to the lowest amount of RTKs reaches 90 percent of total RTKs in the year 2018.

(f) States which are not within the applicability scope of (b), but which have volunteered to participate. This document is updated on an annual basis according to the timeline as defined in this Part.

(g) The Authority will calculate the annual aeroplane operator’s final CO2 offsetting requirements based on the data reported in accordance with Subpart 16.4, the applicability requirements in 16.5.1.1, and the application of 16.5.1.2, 16.5.1.3 and 16.5.1.4 where applicable.

**16.5.1.2.**—(a) The Authority will calculate, for each of the aeroplane operators attributed to it, the amount of CO2 emissions required to be offset in a given year from 1 January 2021 to 31 December 2023 prior to consideration of the CORSIA eligible fuels, as follows :

CO2  
Offsetting  
Requirements

$$OR_y = OE + SGF_y$$

where :

OR<sub>y</sub> = Aeroplane operator’s offsetting requirements in the given year y ;

OE = Aeroplane operator’s CO2 emissions covered by 1.4.1.1 in the given year y or aeroplane operator’s CO2 emissions covered by 1.4.1.1 in 2020, depending upon the option selected by the State which will be applied to all aeroplane operators that have been attributed to it ; and

SGF<sub>y</sub> = Sector’s Growth Factor.

*Note 1.:* The Sector’s Growth Factor applicable for a given year (SGF<sub>y</sub>) is provided in the ICAO document entitled “CORSIA Annual Sector’s Growth Factor (SGF)” is available from the ICAO CORSIA website, and is calculated as

$$\frac{(SE_y - SE_{B^y})}{SE_y}$$

**B 3770**

Where SE<sub>y</sub>=Total sectoral CO<sub>2</sub> emissions covered by 16.4.1.1 in the given year y and SEB<sub>y</sub>=Average total annual sectoral CO<sub>2</sub> emissions during 2019 and 2020 covered by 16.4.1.1 in the given year y.

*Note.* : 2. Sectoral emissions in a given year (SE<sub>y</sub>) do not include the CO<sub>2</sub> emissions from new entrants during their exception period, as defined in 16.4.1.1 (b), (c) and (d).

*Note.* : 3. As the States which form the “CORSIA States for Chapter 3 State Pairs”, as defined by 3.1, change overtime, the average total annual sectoral CO<sub>2</sub> emissions during 2019 and 2020 covered by these State pairs in the given year y (SEB<sub>y</sub>) will be recalculated.

(b) The Authority will calculate, for each of the aeroplane operators attributed to it, the amount of CO<sub>2</sub> emissions required to be offset in a given year from 1 January 2024 to 31 December 2035 prior to consideration of the CORSIA eligible fuels, every year as follows :

$$OR_y = \%S_y * ( OE_y * SGF_y ) + \%O_y * ( OE_y + OGF_y )$$

where :

OR<sub>y</sub> = Aeroplane operator’s offsetting requirements in the given year y ;

OE<sub>y</sub> = Aeroplane operator’s CO<sub>2</sub> emissions covered by 3.1 in the given year y ;

%S<sub>y</sub> = Percent Sectoral in the given year y ;

%O<sub>y</sub> = Percent Individual in the given year y where %O<sub>y</sub> = (100% - %S<sub>y</sub>) ;

SGF<sub>y</sub> = Sector’s Growth Factor ; and

OGF<sub>y</sub> = Aeroplane operator’s Growth Factor.

Table 1-2 Overview of CO<sub>2</sub> offsetting requirements on a sectoral and individual basis.

<i>Year of applicability</i>	<i>%S<sub>y</sub></i>	<i>%O<sub>y</sub></i>
1 January 2024 to 31	100%	0%
1 January 2030 to 31	(100%-%O <sub>y</sub> )	A specified percentage of at
1 January 2033 to 31	(100%-%O <sub>y</sub> )	A specified percentage of at

*Note.* : The specified percentage (i.e., %O<sub>y</sub>) will be determined by the ICAO Assembly in 2028.

(c) The Authority will use the Sector Growth Factor applicable for a given year (SGF<sub>y</sub>) in the ICAO document entitled “CORSIA Annual Sector’s Growth Factor (SGF)”. This information will be produced in accordance with the timeline as defined in this Part .

*Note.* : ICAO document entitled “CORSIA Annual Sector’s Growth Factor (SGF)” is available from the ICAO CORSIA website.

(d) The Authority will calculate, when applicable, the aeroplane operator’s Growth Factor for a given year (OGF<sub>y</sub>) in accordance with the CO<sub>2</sub> emissions from the verified Emissions Reports submitted by aeroplane operators attributed to it, as follows :

$$OGF_y = \frac{(OE_y - OE_{B,y})}{OE_y}$$

where :

OE<sub>y</sub> = Total aeroplane operator's CO<sub>2</sub> emissions covered by 16.5.1.1 in the given year y; and OE<sub>B,y</sub> = Average total annual aeroplane operator's CO<sub>2</sub> emissions during 2019 and 2020 covered by 16.5.1.1 in the given year y.

(e) The Authority will, upon calculating the offsetting requirements in a given year (OR<sub>y</sub>) of each of the aeroplane operators attributed to it, inform the aeroplane operator of its offsetting requirements according to the timeline as defined in this Part.

**16.5.1.3.—(a)** The aeroplane operator that intends to claim for emissions reductions from the use of CORSIA eligible fuels in a given year shall compute emissions reductions as follows :

Emissions  
Reductions  
from the Use  
of CORSIA  
eligible fuels

$$ER_y = FCF * MS_{f,y} * \frac{LS_f}{f} * (1 - LC)$$

where:

- ER<sub>y</sub> = Emissions reductions from the use of CORSIA eligible fuels in the given year y (in tonnes) ;
- FCF = Fuel conversion factor, equal to 3.1kgCO<sub>2</sub>/kg fuel for Jet-A fuel/Jet-A1 fuel and 3.10kg, CO<sub>2</sub>/kg fuel for AvGas or Jet-B fuel ;
- MS<sub>f,y</sub> = Total mass of a neat CORSIA eligible fuel claimed in the given year y (in tonnes), as described and reported in Field 12. Bin IS: 16.4.3.3 (a) ;
- LS<sub>f</sub> = Life cycle emissions value for a CORSIA eligible fuel (in gCO<sub>2</sub>e/MJ) ; and
- LC = Baseline lifecycle emissions values for aviation fuel, equal to 89g CO<sub>2</sub>e/MJ for jet fuel and equal to 95g CO<sub>2</sub>e/MJ for AvGas.

*Note.* : 1. The ratio (1 - LS<sub>f</sub>) is also referred to as the emissions reduction factor (ERF<sub>f</sub>) of a CORSIA LC eligible fuel.

*Note.* : 2. For each of the CORSIA eligible fuels claimed, the total mass of the neat CORSIA eligible fuel claimed in the given year y needs to be multiplied by its emissions reduction factor (ERF<sub>f</sub>). Then the quantities are summed for all CORSIA eligible fuels.

(b) If a Default Lifecycle Emissions value issued, then the aeroplane operator shall use the ICAO document entitled "CORSIA Default Life Cycle Emissions Values for CORSIA Eligible Fuels".

*Note.* : ICAO document entitled "CORSIA Default Life Cycle Emissions Values for CORSIA Eligible Fuels" is available on the ICAO CORSIA website for the calculation in 16.5.1.3 (a).

(c) If an Actual Life Cycle Emissions value is used, then an approved Sustainability Certification Scheme shall ensure that the methodology, as defined in the ICAO document entitled “CORSIA Methodology for Calculating Actual Life Cycle Emissions Values”.

Note. ICAO document entitled “CORSIA Methodology for Calculating Actual Life Cycle Emissions Values” is available on the ICAO CORSIA website, has been applied correctly.

Total Final CO2 Offsetting requirements for a given Compliance Period with Emissions Reductions from the use of CORSIA eligible fuels

**16.5.1.4.—(a)** The amount of CO2 emissions required to be offset by the aeroplane operator, after taking in to account emissions reductions from the use of CORSIA eligible fuels in a given compliance period from 1 January 2021 to 31 December 2035, shall be calculated by the State as follows :

$$FOR_c = (OR_{1,c} + OR_{2,c} + OR_{3,c}) - (ER_{1,c} + ER_{2,c} + ER_{3,c})$$

where :

FOR<sub>c</sub> = Aeroplane operator’s total final offsetting requirements in the given compliance period c ;

OR<sub>y,c</sub> = Aeroplane operator’s offsetting requirements in the given year y (where y=1,2or3)of the compliance period c ; and

ER<sub>y,c</sub> = Emissions reductions from the use of CORSIA eligible fuels in the given year y (where y=1,2or3) of the compliance period c.

(b) If the aeroplane operator’s total final offsetting requirements during a compliance period (i.e., FOR<sub>c</sub>) is negative, then the aeroplane operator has no offsetting requirements for the compliance period. These negative offsetting requirements shall not be carried forward to subsequent compliance periods.

(c) The aeroplane operator’s total final offsetting requirements during a compliance period (i.e., FOR<sub>c</sub>) shall be rounded up to the nearest tonne of CO2.

(d) The Authority will, upon calculating the total final offsetting requirements for a given compliance period of each of the aeroplane operators attributed to it, inform the aeroplane operator of its total final offsetting requirements according to the timeline as defined in this Part .

Note. Information on CORSIA Eligible Emissions Units, which can be used to meet CO2 offsetting requirements, are contained in Subpart 16.6.

**16.6. EMISSIONS UNITS**

Note. : An emissions unit represents one metric tonne of carbon dioxide equivalent.

**16.6.1. General Requirements**

Applicability of Emissions Units

**16.6.1.1.—(a)** The requirements of this Sub-part shall be applicable to an aeroplane operator who is subject to offsetting requirements in Subpart 16.5. Note. See also Section 16.3.1 and subpart 16.8 for administration procedures relevant to Subpart 16.6.

**16.6.1.2.—(a)** The aeroplane operator shall meet its offsetting requirements according to 16.5.1.4 (d), as calculated by the State to which it is attributed, by cancelling CORSIA Eligible Emissions Units in a quantity equal to its total final offsetting requirements for a given compliance period (i.e., FORc).

Cancelling  
CORSIA  
Eligible  
Emissions  
Units

*Note.*: 1. The CORSIA Eligible Emissions Units are only those units described in the ICAO document entitled “CORSIA Eligible Emissions Units”, which meet the CORSIA Emissions Unit Eligibility Criteria contained in the ICAO document entitled “CORSIA Emissions Unit Eligibility Criteria”. These ICAO documents are available on the ICAO CORSIA website.

*Note.* : 2. The CORSIA Eligible Emissions Units are determined by the Council, upon recommendation of a technical advisory body established by the Council, and meet the CORSIA Emissions Unit Eligibility Criteria. The CORSIA Emissions Unit Eligibility Criteria are approved and may only be amended by the Council, with the technical contribution of CAEP, taking into account relevant developments in the UNFCCC and the Paris Agreement. The emissions units generated from mechanisms established under the UNFCCC and the Paris Agreement are eligible for use in CORSIA, provided that they align with decisions by the Council with the technical contribution of CAEP, including on avoiding double counting and on eligible vintage and timeframe.

(b) To fulfil the provisions in 16.6.1.2 (a), the aeroplane operator shall :

(1) Cancel such CORSIA Eligible Emissions Units within a registry designated by a CORSIA Eligible Emissions Unit Programme in accordance with the timeline as defined in this Part ; and

(2) Request each CORSIA Eligible Emissions Unit Programme registry to make visible on the registry’s public website, information on each of the aeroplane operator’s cancelled CORSIA Eligible Emissions Units for a given compliance period, as defined in this Part . Such information for each cancelled CORSIA Eligible Emissions Units shall include the consolidated identifying information in Field 5 of IS: 16.4.3.6 (e), except fields 5.j, 5.k and 5.m.

*Note.* : “Cancel” means the permanent removal and single use of a CORSIA Eligible Emissions Unit within a CORSIA Eligible Emissions Unit Programme designated registry such that the same emissions unit may not be used more than once. This is sometimes also referred to as “retirement”, “cancelled”, “cancelling” or “cancellation”.

**16.6.1.3.—(a)** The aeroplane operator attributed to the authority will report the cancellation of CORSIA Eligible Emissions Units carried out in accordance with 16.6.1.2 to meet its total final offsetting requirements for a given compliance period, by submitting to the Authority a copy of the verified Emissions Unit Cancellation Report for approval and a copy of the associated Verification Report. The Emissions Unit Cancellation Report shall contain information using the required fields defined in IS: 16.4.3.6 (e) and shall be submitted to the Authority according to the timeline as defined in this Part .

Reporting  
Emissions  
Unit  
Cancellation

(b) The Authority will report to ICAO in accordance with the timeline as defined in this Part. This report shall contain the information as defined in IS: 16.4.3.6 (f), using an ICAO approved form.

(c) The Authority will publish the following information, once submitted to ICAO, for a given compliance period :

(1) Total final offsetting requirements over the compliance period for each aeroplane operators attributed to the State ; and

(2) Total quantity of emissions units cancelled over the compliance period by each aeroplane operator to reconcile the total final offsetting requirements, as reported by each aeroplane operator attributed to the State.

### **16.6.2. Verification Of Emissions Unit Cancellation Report**

Verification  
of an  
Aeroplane  
Operator's  
Emissions  
Unit  
Cancellation  
Report

**16.6.2.1.**—(a) The aeroplane operator shall engage a verification body for the verification of its Emissions Unit Cancellation Report.

*Note.* : The aeroplane operator may choose to use the same verification body engaged for the verification of its Emissions Report, although it is not obligated to do so.

(b) A verification body shall conduct the verification according to ISO 14064- 3:2006, and the relevant requirements in IS: 16.6.2.1.

*Note.* : ISO 14064-3: 2006 entitled “Greenhouse gases – Part3: Specification with guidance for the validation and verification of greenhouse gas assertions.”

(c) If required by the verification body, the aeroplane operator shall provide access to relevant information on the cancellation of emissions units.

(d) Following the verification of the Emissions Unit Cancellation Report by the verification body, the aeroplane Operator and the verification body shall both independently submit, upon authorization by the aeroplane operator, a copy of the Emissions Unit Cancellation Report and associated Verification Report to the State to which the aeroplane operator is attributed in accordance with the timeline in this Part.

(e) The Authority will perform an order of magnitude check of the Emissions Unit Cancellation Report in accordance with the timeline, as defined in this Part.

*Note.:* Further guidance material on the verification of Emissions Unit Cancellation Report is provided in the Environmental Technical Manual (Doc 9501), Volume IV–Procedures for demonstrating compliance with the Carbon Offsetting and Reduction Scheme for International Aviation (CORSIA).

## **16.7. VERIFICATION BODY AND NATIONAL ACCREDITATION BODY**

### **16.7.1. Verification Body**

**16.7.1.1.—(a)** A verification body shall be accredited to ISO 14065:2013 and to the relevant requirements in IS: 16.7.1.1 by a national accreditation body, in order to be eligible to verify the Emissions Report of the aeroplane operator.

National  
Verification  
Body

**(b)** A verification body shall be accredited to ISO 14065:2013 and the relevant requirements in IS: 16.7.1.1 by a national accreditation body, in order to be eligible to verify the Emissions Unit Cancellation Report of an aeroplane operator.

*Note.:* ISO14065:2013 entitled “Greenhouse gases–Requirements for greenhouse gas validation and verification bodies for use in accreditation or other forms of recognition, Document published on: 2013-04.”

**(c)** The Authority will submit to ICAO a list of verification bodies accredited in Nigeria by 30 April 2019, and annually by 30 November thereafter. The Authority may submit updates to this list to ICAO on a more frequent basis.

**16.7.1.2.—(a)** An aeroplane operator may engage a verification body accredited in another State, subject to rules and Order affecting the provision of verification services in the State to which the aeroplane operator is attributed.

Others  
Verification  
Body

**16.7.2. ACCREDITATION BODY**

**16.7.2.1.—(a)** A national accreditation body shall be working in accordance with ISO/IEC 17011:2004.

National  
Accreditation  
Body

*Note. :* ISO/IEC17011:2004 entitled “Conformity assessment – General requirements for accreditation bodies accrediting conformity assessment bodies”.

**16.8. ADMINISTRATIVE PROCESS**

**16.8.1. Administrative Agreements**

**16.8.1.1.—(a)** The Authority will approve the aeroplane operator compliance on the basis of satisfactory evidence that the aeroplane operator meets requirements that are at least equal to the applicable Standards specified in this Volume.

General  
Requirements

**16.8.1.2.—(a)** The Authority will not delegate enforcement of the requirements in this Volume, or their administrative tasks towards ICAO, to another State.

Delegation

**(b)** The Authority may delegate administration processes of this Volume to another State through an administrative partnership based on bilateral agreement among the respective States.

*Note. :* A template for, and guidance on, administrative partnerships is provided in the Environmental Technical Manual (Doc 9501), Volume IV – Procedures for demonstrating compliance with the Carbon Offsetting and Reduction Scheme for International Aviation (CORSA).

**16.8.1.3.—(a)** The State providing capacity support through an administrative partnership shall notify ICAO about the contracting administrating authorities, affected aeroplane operators, scope and duration of the administrative partnership and a copy of the bilateral agreement.

*(b)* The State providing capacity support shall assess whether the administrating authority that has been delegated authority, which will provide administering tasks for another State, has the required resources to offer such services.

*(c)* The State receiving capacity support shall ensure that aeroplane operators attributed to it are advised of the administrative arrangements prior to start of the administrative partnership and any potential changes thereafter.

*(d)* The Authority will not withdraw from an administrative partnership before completion of the reporting activities at the end of the reporting period, but it may withdraw from an administrative partnership according to the notice period defined in the agreement.

*(e)* The Authority will submit to ICAO a list of verification bodies accredited in the State according to the requirements as described in IS16.4.3.6 *(a)*, (Field 2), and in accordance with the timeline as defined in this Part . The State may submit updates to this list to ICAO on a more frequent basis

**IS: 16.4.2.1. FUEL USE MONITORING METHODS**

## 1. INTRODUCTION

*Note.* : The procedures specified in this Implementing Standard are concerned with the monitoring of fuel use by aeroplane operators. The methods proposed are representative of the most accurate established practices. Any equivalent procedures to those contained in this Implementing Standard shall only be allowed after prior application to and approval by the [STATE].

## 2. FUEL USE MONITORING METHODS

2.1. The aeroplane operator, with the exception of an aeroplane operator eligible to use the ICAO CORSIA CO<sub>2</sub> Estimation and Reporting Tool (CERT), shall choose from the following fuel use monitoring methods :

- (a) Method A ;
- (b) Method B ;
- (c) Block-off / Block-on ;
- (d) Fuel Uplift ; or
- (e) Fuel Allocation with Block Hour

## 2.2. METHOD A

2.2.1. The aeroplane operator shall use the following formula to compute fuel use according to Method A where :

$FN = TN - TN+1 + UN+1$  FN = Fuel used for the flight under consideration (=flight N) determined using Method A (in tonnes) ;

TN = Amount of fuel contained in aeroplane tanks once fuel uplifts for the flight under consideration (i.e., flight N) are complete (in tonnes) ;

TN+1 = Amount of fuel contained in aeroplane tanks once fuel uplifts for the subsequent flight (i.e., flight N+1) are complete (in tonnes) ; and

UN+1 = Sum of fuel uplifts for the subsequent flight (i.e., flight N+1) measured in volume and multiplied with a density value (in tonnes).

*Note.* : 1. See subsection 16.4.2.4, paragraph (c) and subsection 16.4.2.4, paragraph (d) for requirements on fuel density values.

*Note.* : 2. Fuel uplift UN+1 is determined by the measurement by the fuel supplier, as documented in the fuel delivery notes or invoices for each flight.

*Note.* : 3. For ensuring completeness of the data, it is important to note that not only data generated during the flight under consideration (i.e., flight N) is needed, but also data generated from the subsequent flight (i.e., flight N+1). This is of particular importance when a domestic flight is followed by an international flight, or vice versa. In order to avoid data gaps it is therefore recommended that the Block- on fuel or the amount of fuel in the tank after all fuel uplifts for a flight is always recorded on flights of aeroplanes which are

used for international flights. For the same reasons, fuel uplift data for all flights of those aeroplanes shall be collected, before deciding which flights are international.

2.2.2. The aeroplane operator performing on an ad-hoc basis flights attributed to another aeroplane operator shall provide to the latter the fuel measurement values according to the Block-off / Block-on method.

2.2.3. Where no fuel uplift for the flight or subsequent flight takes place, the amount of fuel contained in aeroplane tanks (TN or TN+1) shall be determined at block-off for the flight or subsequent flight. In exceptional cases the variable TN+1 cannot be determined. This is the case when an aeroplane performs activities other than a flight, including undergoing major maintenance involving the emptying of the tanks, after the flight to be monitored. In such case the aeroplane operator may substitute the quantity "TN+1 + UN+1" with the amount of fuel remaining in tanks at the start of the subsequent activity of the aeroplane or fuel in tanks at Block-on, as recorded by technical logs.

### 2.3. METHOD B

2.3.1. The aeroplane operator shall use the following formula to compute fuel use according to Method B:  $FN = RN-1 - RN + UN$  .

Where : FN = Fuel used for the flight under consideration (i.e., flight N) determined using Method B (in tonnes) ;

RN-1 = Amount of fuel remaining in aeroplane tanks at the end of the previous flight (i.e., flight N-1) at Block-on before the flight under consideration, (in tonnes) ;

RN = Amount of fuel remaining in aeroplane tanks at the end of the flight under consideration (i.e., flight N) at Block- on after the flight, (in tonnes) ; and

UN = Fuel uplift for the flight considered measured in volume and multiplied with a density value (in tonnes).

*Note 1. See subsection 16.21.2.5, paragraphs (a) and (b) for requirements on fuel density values.*

*Note. : 2. Fuel uplift is determined by the measurement by the fuel supplier, as documented in the fuel delivery notes or invoices for each flight.*

*Note. : 3. For ensuring completeness of the data, it is important to note that not only data generated during the flight under consideration (i.e., flight N) is needed, but also data generated from the previous flight (i.e., flight N-1). This is in particular important when a domestic flight is followed by an international, or vice versa. For avoiding data gaps it is therefore recommended that, the amount of fuel remaining in the tank after the flight or the amount of fuel in the tank after fuel uplift is always recorded on flights of aeroplane which are used for international flights. For the same reasons, fuel uplift data for all flights of those aeroplane shall be collected, before deciding which flights are international.*

1.2.4. The aeroplane operator performing on an ad-hoc basis flights attributed to another aeroplane operator shall provide to the latter the fuel measurement values according to the Block-off / Block-on method.

1.2.5. Where an aeroplane does not perform a flight previous to the flight for which fuel consumption is being monitored (e.g., if the flight follows a major revision or maintenance), the aeroplane operator may substitute the quantity RN-1 with the amount of fuel remaining in aeroplane tanks at the end of the previous activity of the aeroplane, as recorded by technical logs.

#### 2.4. BLOCK-OFF/BLOCK-ON

2.4.1. The aeroplane operator shall use the following formula to compute fuel use according to the Block-off / Block-on Method: where: FN = TN – RN  
 FN = Fuel used for the flight under consideration (=flight N) determined using Block-off / Block-on Method (in tonnes); TN = Amount of fuel contained in aeroplane tanks at Block-off for the flight under consideration i.e., flight N (in tonnes); and RN = Amount of fuel remaining in aeroplane tanks at Block-on of the flight under consideration i.e., flight N (in tonnes).

#### 2.5. FUEL UPLIFT

2.5.1. For flights with a fuel uplift unless the subsequent flight has no uplift, the aeroplane operator shall use the following formula to compute fuel use according to the Fuel Uplift Method :

$$FN = UN$$

Where :

FN = Fuel used for the flight under consideration (i.e., flight N) determined using fuel uplift (in tonnes); and UN = Fuel uplift for the flight considered, measured in volume and multiplied with a density value (in tonnes).

*Note.* 1. See subsection 16.21.2.5, paragraphs (a) and (b) for requirements on fuel density values. 2.5.2 for flight(s) without a fuel uplift (i.e., flight N+1, flight N+n), the aeroplane operator shall use the following formula to allocate fuel use from the prior fuel uplift (i.e., from flight N) proportionally to block hour :

$$F_N = U_N * \left[ \frac{BH_N}{BH_N + BH_{N+1} + \dots + BH_{N+n}} \right]$$

$$F_{N+1} = U_N * \left[ \frac{BH_{N+1}}{BH_N + BH_{N+1} + \dots + BH_{N+n}} \right]$$

...

$$F_{N+n} = U_N * \left[ \frac{BH_{N+n}}{BH_N + BH_{N+1} + \dots + BH_{N+n}} \right]$$

where :

FN = Fuel used for the flight under consideration (i.e., flight N) determined using fuel uplift (in tonnes); FN+1 = Fuel used for the subsequent flight (i.e., flight N+1) determined using fuel uplift (in tonnes) ;

FN+n = Fuel used for the follow-on flight (i.e., flight N+n) determined using fuel uplift (in tonnes); UN = Fuel uplift for the flight under consideration (i.e., flight N) (in tonnes) ;

BHN = Block hour for the flight under consideration (i.e., flight N) (in hours); BHN+1 = Block hour for the subsequent flight (i.e., flight N+1) (in hours) ; and

BHN+n = Block hour for the follow-on flight (i.e., flight N+n) (in hours).  
 Note. Fuel uplift is determined by the measurement by the fuel supplier, as documented in the fuel delivery notes or invoices for each flight.

## 2.6. FUEL ALLOCATION WITH BLOCK HOUR

### 2.6.1. Computation of average fuel burn ratios

2.6.1.1. For an aeroplane operator which can clearly distinguish between international and domestic fuel uplifts, the aeroplane operator shall compute, for each aeroplane type, the average fuel burn ratios by summing up all actual fuel uplifts from international flights, divided by the sum of all actual block hours from international flights for a given year, according to the following formula :

$$AFBR_{AO,AT} = \frac{\sum_N U_{AO,AT,N}}{\sum_N BH_{AO,AT,N}}$$

Where :

AFBR AO, AT = Average fuel burn ratios for aeroplane operator (AO) and aeroplane type (AT) (in tonnes per hour) ;

U AO, AT, N = Fuel uplifted for the international or a domestic flight N for aeroplane operator (AO) and aeroplane type (AT) measured in volume and multiplied with a specific density value (in tonnes); and BHAO, AT, N = Block hour for the international and domestic flight N for aeroplane operator (AO) and aeroplane type (AT) (in hours).

2.6.1.2. An aeroplane operator specific average fuel burn ratios shall be calculated on a yearly basis by using the yearly data from the actual reporting year. The average fuel burn ratios shall be reported, for each aeroplane type, in the aeroplane operator's Emissions Report.

*Note 1.* See subsection 16.21.2.5, paragraphs (a) and (b) for requirements on fuel density values. *Note 2.* Aeroplane types are contained in Doc 8643 — Aircraft Type Designators.

#### 2.6.2. COMPUTATION OF FUEL USE FOR INDIVIDUAL FLIGHTS

$$AFBR_{AO,AT} = \frac{\sum N U_{AO,AT,N}}{\sum N BH_{AO,AT,N}}$$

2.6.2.1. The aeroplane operator shall compute the fuel consumption for each international flight by multiplying the aeroplane operator specific average fuel burn ratios with the flight's block hour according to the following formula:

$$FN = AFBR_{AO,AT} * BH_{AO,AT},$$

Where :

FN = Fuel allocated to the international flight under consideration (i.e., flight N) using the Fuel Allocation Block Hour method (in tonnes);  $AFBR_{AO,AT}$  = Average fuel burn ratios for aeroplane operator (AO) and aeroplane type (AT) (in tonnes per hour); and  $BH_{AO,AT,N}$  = Block hour for the international flight under consideration (=flight N) for aeroplane operator (AO) and aeroplane type (AT) (in hours).

*Note 1.* Fuel uplift is determined by the measurement by the fuel supplier, as documented in the fuel delivery notes or invoices for each flight.

*Note 2.* The Verification Report of the external verification body includes an assessment of the aeroplane operator specific average fuel burn ratio per ICAO aircraft type designator used.

*Note 3.* Average fuel burn ratio (AFBR) based on all flights for a reporting year and rounded to at least three decimal places.

2.6.2.2. A verification body shall cross-check whether the emissions reported are reasonable in comparison to other fuel related data of the aeroplane operator

#### IS 16.4.2.4. EMISSIONS MONITORING PLAN

##### (a) Content of an Emissions Monitoring Plan

###### 1. INTRODUCTION

The Emissions Monitoring Plan of an aeroplane operator shall contain the information listed in Section 2 of this Implementing Standard.

###### 2. CONTENT OF EMISSIONS MONITORING PLANS

*Note.* The template of an Emissions Monitoring Plan (from aeroplane operator to State) is provided in Appendix 1 of the Environmental Technical Manual (Doc 9501), Volume IV – Procedures for demonstrating compliance with the Carbon Offsetting and Reduction Scheme for International Aviation (CORSA).

2.1. AEROPLANE OPERATOR IDENTIFICATION

2.1.1. Name and address of the aeroplane operator with legal responsibility.

2.1.2. Information for attributing the aeroplane operator to a State :

(a) ICAO Designator: ICAO Designator(s) used for air traffic control purposes, as listed in Doc8585 — Designators for Aircraft Operating Agencies, Aeronautical Authorities and Services.

(b) Air operator certificate: If the aeroplane operator does not have an ICAO Designator, then a copy of the air operator certificate.

(c) Place of juridical registration: If the aeroplane operator does not have an ICAO Designator or an air operator certificate, then the aeroplane operator's place of juridical registration.

2.1.3. Details of ownership structure relative to any other aeroplane operators with international flights, including identification of whether the aeroplane operator is a parent company to other aeroplane operators with international flights, a subsidiary of another aeroplane operator(s) with international flights, and/or has a parent and or subsidiaries that are aeroplane operators with international flights.

2.1.4 If the aeroplane operator in a parent-subsidiary relationship seeks to be considered a single aeroplane operator for purposes of this Part, then confirmation shall be provided that the parent and subsidiary(ies) are attributed to Nigeria and that the subsidiary(ies) are wholly-owned by the parent.

2.1.5 Contact information for the person within the aeroplane operator's company who is responsible for the Emissions Monitoring Plan.

2.1.6 Description of the aeroplane operator's activities (e.g. scheduled/nonscheduled, passenger/cargo/executive, and geographic scope of operations).

2.2. FLEET AND OPERATIONS DATA

2.2.1. List of the aeroplane types and type of fuel (e.g. Jet-A, Jet-A1, Jet-B, AvGas) used in aeroplanes operated for international flights at the time of submission of the Emissions Monitoring Plan, recognizing that there may be changes overtime. The list shall include :

(a) Aeroplane types with a maximum certificated take-off mass of 5700kg or greater and the number of aeroplane per type, including owned and leased aeroplanes ; and

*Note 1.* Aeroplane types are contained in Doc 8643—Aircraft Type Designators.

*Note 2.* The aeroplane operator using the ICAO CORSIA CO2 Estimation and Reporting Tool (CERT) could use the functionality of the CERT to identify applicable aeroplane types.

(b) Type of fuel(s) used by the aeroplanes (e.g., Jet-A, Jet-A1, Jet-B, AvGas).

*Note.* The aeroplane operator using the ICAO CORSIA CO2 Estimation and Reporting Tool (CERT) does not need to specify the type of fuel used by aeroplanes.

2.2.2. Information used for attributing international flights to the aeroplane operator :

(a) ICAO Designator: List of the ICAO Designator(s) used in Item 7 of the aeroplane operator's flight plans. b) Registration marks: If the aeroplane operator does not have an ICAO Designator, then a list of the nationality or common mark, and registration mark of aeroplanes that are explicitly stated in the air operator certificate (or equivalent) and used in Item 7 of the aeroplane operator's flight plans.

2.2.3. Procedures on how changes in the aeroplane fleet and fuel used will be tracked, and subsequently integrated in the Emissions Monitoring Plan.

2.2.4 Procedures on how the specific flights of an aeroplane will be tracked to ensure completeness of monitoring.

2.2.5. Procedures for determining which aeroplane flights are subject to the Section 1.3.2, 1.3.3 and 1.3.4 requirements.

*Note.* The aeroplane operator using the ICAO CORSIA CO2 Estimation and Reporting Tool (CERT) could use the functionality of the CERT to identify international flights, as long as all flights (i.e., domestic and international) conducted during the reporting year are entered as input in to the tool.

2.2.6. List of States to where the aeroplane operator operates international flights at the time of initial submission of the Emissions Monitoring Plan. *Note.* The aeroplane operator using the estimation functionality of the ICAO CORSIA CO2 Estimation and Reporting Tool (CERT) to assess its eligibility to use the CERT could use the output of the tool (i.e., list of States) as input to the Emissions Monitoring Plan submission.

2.2.7. Procedures for determining which international aeroplane flights are subject to CORSIA offsetting requirements. *Note.* The aeroplane operator using the ICAO CORSIA CO2 Estimation and Reporting Tool (CERT) could use the functionality of the CERT to identify flights subject to offsetting requirements in a given year of compliance as long as the aeroplane operator uses the correct version (i.e., year of compliance) of the CERT.

2.2.8. Procedures for identifying domestic flights and/or humanitarian, medical or fire fighting international flights that would not be subject to Section 16.4.2, 16.4.3 and 16.4.4 Requirements.

2.3. METHODS AND MEANS OF CALCULATING EMISSIONS FROM INTERNATIONAL FLIGHTS

2.3.1. Methods and means for establishing the average emissions during the 2019 - 2020 period.

2.3.1.1. If the aeroplane operator meets the eligibility criteria in subsection 16.4.2.3, paragraph (b) and chooses to use the ICAO CORSIA CO<sub>2</sub> Estimation and Reporting Tool (CERT), then the following information shall be provided :

(a) An estimate of CO<sub>2</sub> emissions for all international flights within the applicability of Section 16.21.2, 16.4.3 and 16.5.4 requirements for 2019 with supporting information on how the estimation was calculated.

(c) The type of input method used in the ICAO CORSIA CO<sub>2</sub> Estimation and Reporting Tool (CERT) :

- Great Circle Distance input method ; or
- Block Time input method.

*Note.* Guidance on estimating CO<sub>2</sub> emissions for 2019 is provided in the Environmental Technical Manual (Doc 9501), Volume IV—Procedures for demonstrating compliance with the Carbon Offsetting and Reduction Scheme for International Aviation (CORSIA).

2.3.1.2. If the aeroplane operator meets the eligibility criteria in subsection 16.4.2.4, paragraph (a) or chooses to use a Fuel Use Monitoring method as described in IS: 16.4.2.1, then the following information shall be provided :

(a) The Fuel Use Monitoring Method that will be used:

- Method A ;
- Method B ;
- Block-off/Block-on;
- Fuel Uplift; or
- Fuel Allocation with Block Hour.

(b) If different Fuel Use Monitoring Methods are to be used for different aeroplane types, then the aeroplane operator shall specify which method applies to which aeroplane type ;

(c) Information on the procedures for determining and recording fuel density values (standard or actual) as used for operational and safety reasons and a reference to the relevant aeroplane operator documentation ; and

(d) The systems and procedures to monitor fuel consumption in both owned and leased aeroplane. If the aeroplane operator has chosen the Fuel Allocation with Block Hour method, information shall be provided on the

systems and procedures used to establish the average fuel burn ratios as described in IS: 16.4.2.1.

2.3.1.3. If the aeroplane operator is in a parent-subsidary relationship and seeks to be considered as a single aeroplane operator for purposes of this Part, then it shall provide the procedures that will be used for maintaining records of fuel used and emissions monitored during the 2019-2020 period of the various corporate entities. This shall be used to establish individual average emissions during the 2019-2020 period for the parent and subsidiary (or subsidiaries).

2.3.2. Methods and means for emissions monitoring and compliance on or after 1 January 2021.

2.3.2.1. If the aeroplane operator has international flights, but these are not subject to offsetting requirements, then it shall confirm whether it plans to use the ICAO CORSIA CO<sub>2</sub> Estimation and Reporting Tool (CERT) or the Fuel Use Monitoring Methods as described in IS: 16.21.2.1.

2.3.2.2. If the aeroplane operator meets the eligibility criteria in subsection 16.21.2.4, paragraph (b), and it chooses to use the ICAO CORSIA CO<sub>2</sub> Estimation and Reporting Tool (CERT), then the following information shall be provided :

(a) An estimate of CO<sub>2</sub> emissions for all international flights subject to offsetting requirements for the year before the emissions monitoring is to occur (for example, an estimate of such emissions for 2020 for monitoring in 2021), as well as information on how the fuel use and CO<sub>2</sub> estimation was calculated.

(b) The type of input method used in the ICAO CORSIA CO<sub>2</sub> Estimation and Reporting Tool (CERT) :

- Great Circle Distance input method ; or
- Block Time input method.

2.3.2.3. If the aeroplane operator meets the eligibility criteria in subsection 16.4.2.4, paragraph (a), or chooses to use a Fuel Use Monitoring method as described in IS: 16.4.2.1, then the following information shall be provided :

(a) The Fuel Use Monitoring Method that will be used :

- Method A ;
- Method B ;
- Block-off/Block-on ;
- Fuel Uplift ; or
- Fuel Allocation with Block Hour.

(b) If different Fuel Use Monitoring Methods are to be used for different aeroplane types, then the aeroplane operator shall specify which method applies to which aeroplane type ;

(c) Information on the procedures for determining and recording fuel density values (standard or actual) as used for operational and safety reasons and a reference to the relevant aeroplane operator documentation ; and

(d) The systems and procedures to monitor fuel consumption in both owned and leased aeroplane. If the aeroplane operator has chosen the Fuel Allocation with Block Hour method, information shall be provided on the systems and procedures used to establish the average fuel burn ratios as described in IS: 16.4.2.1.

If the aeroplane operator is using a Fuel Use Monitoring Method, as defined in IS: 16.4.2.1, it shall state whether it plans to use the ICAO CORSIA CERT for international flights that are subject to emissions monitoring but not offsetting requirements. If so, the aeroplane operators shall also state which input method into the ICAO CORSIA CERT is being used (i.e., Great Circle Distance input method, or Block Time input method).

#### 2.4. DATA MANAGEMENT, DATA FLOW AND CONTROL

2.4.1. The aeroplane operator shall provide the following information :

- (a) Roles, responsibilities and procedures on data management ;
- (b) Procedures to handle data gaps and erroneous data values, including :
  - (i) Secondary data reference sources which would be used as an alternative ;
  - (ii) Alternative method in case the secondary data reference source is not available ; and
  - (iii) For those aeroplane operators using a Fuel Use Monitoring Method, information on systems and procedures for identifying data gaps and for assessing whether the 5 per cent threshold for significant data gaps has been reached.
- (c) Documentation and record keeping plan ;
- (d) Assessment of the risks associated with the data management processes and means for addressing significant risks ;
- (e) Procedures for making revisions to the Emissions Monitoring Plan and resubmitting relevant portions to the State when there are material changes ;
- (f) Procedures for providing notice in the Emissions Report of non-material changes that require the attention of the State; and
- (g) a data flow diagram summarizing the systems used to record and store data associated with the monitoring and reporting of CO<sub>2</sub> emissions.

#### IS: 16.4.3.3 EMISSIONS REPORT FROM AEROPLANE OPERATOR TO STATE

(a) Content of an Emissions Report from Aeroplane Operator to State.

*Note.* The template of an Emissions Report (from aeroplane operator to State) is provided in Appendix 1 of the Environmental Technical Manual (Doc 9501), Volume IV – Procedures for demonstrating compliance with the Carbon Offsetting and Reduction Scheme for International Aviation (CORSIA).

<i>Field #</i>	<i>Data Field</i>	<i>Details</i>
Field 1	Aeroplane operator information.	<p>1.-(a) Name of aeroplane operator.</p> <p>1.-(b) Detailed contact information of aeroplane operator.</p> <p>1.-(c) Name of a point of contact.</p> <p>1.-(d) Method and identifier used to attribute an aeroplane operator to State in accordance with subsection 16.20.1.2, paragraph (a).</p> <p>1.-(e) State.</p>
Field 2	Reference details of aeroplane operator Emissions Monitoring Plan.	<p>2. Reference to the Emissions Monitoring Plan that is the basis for emissions monitoring that year</p> <p><i>Note.</i> - State may require providing reference to updated Emissions Monitoring Plan, if applicable.</p>
Field 3	Information to identify the verification body and Verification Report.	<p>3.-(a) Name and contact information of the verification body</p> <p>3.-(b) Verification Report to be a separate report from aeroplane operator's Emissions Report</p>
Field 4	Reporting year.	4. Year during which emissions were monitored.
Field 5	Type and mass of fuel(s) used.	<p>5.-(a) Total fuel mass per type of fuel :</p> <ul style="list-style-type: none"> <li>• Jet-A (in tonnes)</li> <li>• Jet-A1 (in tonnes)</li> <li>• Jet-B (in tonnes)</li> <li>• AvGas (in tonnes)</li> </ul> <p><i>Note 1.</i> – Above totals to include CORSIA eligible fuels.</p> <p><i>Note 2.</i> - The aeroplane operator using the ICAO CORSIA CERT, does not need to report Field 5.</p>
Field 6	Total number of international flights during the reporting period.	<p>Total number of international flights, subject to Section 16.21.2, 16.21.3 and 16.21.4 requirements, during the reporting period.</p> <p><i>Note.</i> - Total (sum of values from Field 7)</p>
Field 7	Number of international flights per State pair or aerodrome pair.	<p>Number of international flights, subject to Section 16.21.2, 16.21.3 and 16.21.4 requirements, per State pair (no rounding) ; or</p> <p>Number of international flights per aerodrome pair (no rounding).</p>

**B 3788**

<i>Field #</i>	<i>Data Field</i>	<i>Details</i>
Field 8	CO2 emissions per aerodrome pair or State pair.	<p>8.-(a) CO2 emissions from international flights, subject to Section 16.21.2, 16.21.3 and 16.21.4 requirements, per State pair (in tonnes) ; or</p> <p>8.-(b) CO2 emissions from international flights, subject to Section 16.21.2, 16.21.3 and 16.21.4 requirements, per aerodrome pair (in tonnes).</p>
Field 9	Scale of data gaps.	<p>9.-(a) Per cent of data gaps (according to criteria defined in subsection 16.21.5.1, paragraph.</p> <p>(b) and rounded to the nearest 0.1%). 9.(b) Reason for data gaps if per cent of data gaps exceeds the threshold defined in subsection 16.21.5.1, paragraph (b).</p>
Field 10	Aeroplane information.	<p>List of aeroplane types.</p> <p>Aeroplane identifiers used in flight plans' Item 7 during the year for all international flights. Where the identifier is based on an ICAO Designator, only the ICAO Designator is to be reported.</p> <p>Information on leased aeroplanes.</p> <p>Average fuel burn ratio (AFBR) for each aeroplane type under 10.a in line with Doc 8643 — Aircraft Type Designator (in tonnes per hour to 3 decimal places)</p> <p><i>Note</i> : 10.d is only required if the aeroplane operator is using the Fuel Allocation with Block Hour method, as defined in IS: 16.21.2.1.</p>
Field 11	Eligibility for and use of the ICAO CORSIA CO2 Estimation and Reporting Tool (CERT) as per Subpart 16.21.2.	<p>Version of the ICAO CORSIA CERT used</p> <p>Scope of use of the ICAO CORSIA CERT <i>i.e.</i>, on all flights or only on the international flights not subject to offsetting requirements.</p>
Field 12 <i>Note.</i> If emissions reductions from the use of CORSIA eligible fuel are claimed, <i>see</i> paragraph <i>h</i> (b) of this IS for supplementary	CORSIA eligible fuel claimed.	<p>Fuel type (<i>i.e.</i>, type of fuel, feedstock and conversion process)</p> <p>Total mass of the neat CORSIA eligible fuel claimed (in tonnes) per fuel type</p> <p>Approved Life Cycle Emissions values</p>
	Emissions information (per fuel type.	12.-(d) Emissions reductions claimed from a CORSIA eligible fuel.

<i>Field #</i>	<i>Data Field</i>	<i>Details</i>
information that is to be provided with the aeroplane operator's Emissions Report.	Emissions reductions (total).	12.(e) Total emissions reductions claimed from the use of all CORSIA eligible fuels (in tonnes). <i>Note.</i> During the 2019-2020 period, fields 12.(a) to 12.(e) are not required as the applicability of CORSIA offsetting requirements starts on 1 January 2021 i.e., there are no offsetting requirements and no emissions reductions from the use of CORSIA eligible fuels during the 2019-2020 period.
Field 13	Total CO2 emissions.	Total CO2 emissions (based on total mass of fuel in tonnes from Field 5 and reported in tonnes) Total CO2 emissions from flights subject to offsetting requirements (in tonnes) 13.-(c) Total CO2 emissions from international flights, subject to Section 16.21.2, 16.21.3 and 16.21.4 requirements. and that are not subject to offsetting requirements (in tonnes). <i>Note.</i> During the 2019-2020 period, only fields 13.a is required as the applicability of CORSIA offsetting requirements starts on 1 January 2021 i.e., there are no State pairs subject to offsetting requirements during the 2019-2020 period.

(a) Supplementary Information to an Aeroplane Operator's Emissions Report if Emissions Reductions from the Use of Each CORSIA Eligible Fuel Being Claimed.

<i>Field #</i>	<i>Data Field</i>	<i>Details</i>
Field 1	Purchase date of the neat CORSIA eligible fuel.	
Field 2	Identification of the producer of the neat CORSIA eligible fuel.	2.-(a) Name of producer of the neat CORSIA eligible fuel. 2.-(b) Contact information of the producer of the neat CORSIA eligible fuel.
Field 3	Fuel Production	3.-(a) Production date of the neat CORSIA eligible fuel. 3.-(b) Production location of the neat CORSIA eligible fuel.

**B 3790**

<i>Field #</i>	<i>Data Field</i>	<i>Details</i>
		<p>3.-(c) Batch number of each batch of neat CORSIA eligible fuel.</p> <p>3.-(d) Mass of each batch of neat CORSIA eligible fuel produced.</p>
Field 4	Fuel type.	<p>4.-(a) Type of fuel (<i>i.e.</i>, Jet-A, Jet-A1, Jet-B, AvGas).</p> <p>4.-(b) Feedstock used to create the neat CORSIA eligible fuel.</p> <p>4.-(c) Conversion process used to create the neat CORSIA eligible fuel.</p>
Field 5	Fuel Purchased	<p>5.-(a) Proportion of neat CORSIA eligible fuel batch purchased (rounded to the nearest %).</p> <p><i>Note.</i> - If less than an entire batch of CORSIA eligible fuel is purchased.</p> <p>5.b Total mass of each batch of neat CORSIA eligible fuel purchased (in tonnes)</p> <p>5.-(c) Mass of neat CORSIA eligible fuel purchased (in tonnes)</p> <p><i>Note.</i> Field 5.c is equal to the total for all batches of CORSIA eligible fuels reported in Field 5.(b).</p>
Field 6	Evidence that fuel satisfies the CORSIA Sustainability Criteria.	<i>i.e.</i> , valid sustainability certification document.
Field 7	Life cycle emissions values of the CORSIA eligible fuel.	<p>7.-(a) Default or Actual Life Cycle Emissions Value (LSf) for given CORSIA eligible fuel f, which is equal to the sum of 7.(b) and 7.(c) (in gCO<sub>2</sub>e/MJ rounded to the nearest whole number).</p> <p>7.(b) Default or Actual Core Life Cycle Assessment (LCA) value for given CORSIA eligible fuel f (in gCO<sub>2</sub>e/MJ rounded to the nearest whole number).</p> <p>7.-(c) Default Induced Land Use Change (ILUC) value for given CORSIA eligible fuel f (in gCO<sub>2</sub>e/MJ rounded to the nearest whole number).</p>
Field 8	Intermediate purchaser	<p>8.-(a) Name of the intermediate purchaser.</p> <p>8.-(b) Contact information of the intermediate purchaser.</p> <p><i>Note.</i> This information would be included in the event that the aeroplane operator</p>

<i>Field #</i>	<i>Data Field</i>	<i>Details</i>
		claiming emissions reductions from the use of CORSIA eligible fuels was not the original purchaser of the fuel from the producer (e.g., the aeroplane operator purchased fuel from a broker or a distributor). In those cases, this information is needed to demonstrate the complete chain of custody from production to blend point.
Field 9 Party responsible for shipping of the neat CORSIA eligible fuel to the fuel blende.	Party responsible for shipping of the neat CORSIA eligible fuel to the fuel blende.	<p>9.(a) Name of party responsible for shipping of the neat CORSIA eligible fuel to the fuel blender</p> <p>9.-(b) Contact information of party responsible for shipping of the neat CORSIA eligible fuel to the fuel blender.</p>
Field 10	Fuel Blender	<p>Name of the party responsible for blending neat CORSIA eligible fuel with aviation fuel</p> <p>Contact information of the party responsible for blending neat CORSIA eligible fuel with aviation fuel.</p>
Field 11	Field 11 Location where neat CORSIA eligible fuel is blended with aviation fuel.	
Field 12	Field 12 Date the neat CORSIA eligible fuel was received by blender.	
Field 13	Mass of neat CORSIA eligible fuel received (in tonnes).	<i>Note.</i> This number may differ from the number in Field 5.c in cases where only a portion of a batch or batches are received by the blender (i.e. due to sale to intermediate purchaser).
Field 14	Blend ratio of neat CORSIA eligible fuel and aviation fuel (rounded to the nearest %)	
Field 15	Documentation demonstrating that the batch or batches of neat CORSIA eligible fuel were blended into aviation fuel (e.g., the subsequent Certificate of Analysis of the blended fuel).	

**B 3792**

<i>Field #</i>	<i>Data Field</i>	<i>Details</i>
Field 16	Mass of neat CORSIA eligible fuel claimed (in tonnes).	<i>Note.</i> This number may differ from the number in Field 5.c in cases where only a portion of a batch or batches are claimed by the aeroplane operator.

**IS: 16.4.3.6. CONTENT OF EMISSIONS REPORT FROM STATE TO ICAO**

(a) List of aeroplane operators attributed to the State and verification bodies accredited in a State Field.

<i>Field #</i>	<i>Data Field</i>	<i>Details</i>
Field 1	List of aeroplane operators attributed to the State.	1.aName and contact information of aeroplane operator. 1.(b)Aeroplane operator Code. 1.(c) Method and identifier used to attribute aeroplane operator to a State in accordance with Part II, Chapter 1, 1.2.4.
Field 2	List of verification bodies accredited in the State (for a given year of compliance)	2. (a) State. 2. (b) Name of verification body.

*Note.*— Information on the following fields can be found in the ICAO document entitled “CORSIA Central Registry (CCR): Information and Data for Transparency” that is available from the ICAO CORSIA website :

- List of aeroplane operator attributed to the State ; and
- List of verification bodies accredited in each State.

(b) Emissions Report from a State to ICAO for 2019 and 2020.

<i>Field #</i>	<i>Data Field</i>	<i>Details</i>
Field 1	Total annual CO2 emissions per State pair aggregated for all aeroplane operators attributed to the State (in tonnes)	<i>Note.</i> Include emissions from CORSIA eligible fuels, calculated using fuel conversion factor(s) from corresponding aviation fuels, in accordance with subsection 16.21.2.5, paragraph (c).

(c) Emissions Report from a State to ICAO Annually after 2021.

(d) CORSIA Eligible Fuels Supplementary Information to the Emissions Report from a State to ICAO Field # Data Field Details.

<i>Field #</i>	<i>Data Field</i>	<i>Details</i>	<i>Notes</i>
Field 1	Production.	1.-(a) Production year of CORSIA eligible fuel claimed. 1.-(b) Producer of CORSIA eligible fuel.	
Field 2	Batch of CORSIA eligible fuel.	Batch number(s) of each CORSIA eligible fuel claimed. Total mass of each batch of CORSIA eligible fuel claimed (in tonnes).	
Field 3	CORSIA eligible fuel claimed.	Fuel types ( <i>i.e.</i> , type of fuel, feedstock and conversion process) 3.b Total mass of the neat CORSIA eligible fuel (in tonnes) per fuel type being claimed by all the aeroplane operators attributed to the State.	This would provide a total mass for each fuel type being claimed by all aeroplane operators attributed to the State.
Field 4	Emissions information (per fuel type) 4. Total emissions reductions claimed from the use of a CORSIA eligible fuel (in tonnes).	4. Total emissions reductions claimed from the use of a CORSIA eligible fuel (in tonnes).	
	Emissions reductions (total)	5. Total emissions reductions claimed by all aeroplane operators attributed to the State from the use of all CORSIA eligible fuel use (in tonnes).	

**B 3794**

(e) Content of Emissions Unit Cancellation Report from Aeroplane Operator to State.

<i>Field #</i>	<i>Data Field</i>	<i>Details</i>
Field 1	Aeroplane operator information.	1.-(a) Name of aeroplane operator. 1.-(b) Detailed contact information of aeroplane operator. 1.-(c) Name of a point of contact. 1.-(d) Unique identifier by which an aeroplane operator is attributed to a State, in accordance with Part II, Chapter 1, 1.2.4. 1.-(e) State
Field 2	Compliance period years reported.	2. Year(s) in the reported compliance period for which offsetting requirements are reconciled in this report.
Field 3	Aeroplane operator's total final offsetting requirements.	3. Aeroplane operator's total final offsetting requirements (in tonnes), as informed by the State.
Field 4	Total quantity of emissions units cancelled.	4. Total quantity of emissions units cancelled to reconcile the total final offsetting requirements in Field 3.
Field 5	Consolidated identifying information for cancelled emissions units.	For each batch of cancelled emissions units (batch defined as a contiguous quantity of serialized emissions units), identify the following : 5.-(a) Quantity of emissions units cancelled ; Start of serial numbers; End of serial numbers ; Date of cancellation ; Eligible emissions unit programme ; Unit type ; Host country; 5.h Methodology1; Demonstration of unit date eligibility ; Programme-designated registry name ; Unique identifier for registry account to which the batch was cancelled ; Aeroplane operator in whose name the unit was cancelled ; and The unique identifier for the registry account from which the cancellation was initiated.

*Note.* : The State may expand on this list to include additional or more detailed data from aeroplane operators registered in their State.

(f) Content of Emissions Unit Cancellation Report from State to ICAO.

<i>Field #</i>	<i>Data Field</i>	<i>Details</i>
Field 1	Aeroplane operators attributed to the State.	1.-(a) Aeroplane operators attributed to the State with offsetting requirements in the reported compliance period.
Field 2	Compliance period years reported.	2. Year(s) in the reported compliance period for which offsetting requirements are reconciled in the report.
Field 3	Total final offsetting requirements.	3. Total aggregated aeroplane operators' final offsetting requirements (in tonnes), as informed by the State.
Field 4	Total quantity of emissions units cancelled.	4. Total aggregated quantity of emissions units cancelled to reconcile the total final offsetting requirements in Field 3.
Field 5	Consolidated identifying information for cancelled emissions units.	For each batch of cancelled emissions units (batch defined as a contiguous quantity of serialized emissions units), identify the following : Quantity of emissions units cancelled ; Start of serial numbers; End of serial numbers ; Date of cancellation; 5.d Eligible emissions unit programme ; Unit type; Host country; Methodology; Demonstration of unit date eligibility; and Programme-designated registry name.

*Note 1.* — The information in Field 5 will be required for ensuring critical CORSIA registry functions, including ICAO monitoring, periodic review, and statistical analysis of CORSIA.

*Note 2.* — The information on the following fields can be found in the ICAO document entitled "CORSIA Central Registry (CCR): Information and Data for Transparency" that is available on the ICAO CORSIA website :

(a) Information at a State and global aggregate level for a specific compliance period :

**B 3796**

- (1) Total final offsetting requirements over the compliance period ;
- (2) Total quantity of emissions units cancelled over the compliance period to reconcile the total final offsetting requirements ; and
- (3) Consolidated identifying information for cancelled emissions units included in Field 5 of 16.21.3.6 (f).

**IS 16.6.2.1. REQUIREMENTS FOR CONDUCTING THE VERIFICATION**

(a) Verification of Emissions Report and Emissions Unit Cancellation Report.

The verification team shall conduct the verification according to ISO 14064-3:2006, and the following additional requirements.

- (1) Level of assurance (ISO 14064-3:2006 section 4.3.1) A reasonable level of assurance shall be required for all verifications under this Part.
- (2) Objectives (ISO 14064-3:2006 section 4.3.2).

When conducting the verification of an Emissions Report, the verification body shall perform sufficient procedures to conclude whether :

(a) the greenhouse gas assertion is materially fair and an accurate representation of emissions over the period of the Emissions Report and is supported by sufficient and appropriate evidence ;

(b) the aeroplane operator has monitored, quantified and reported its emissions over the period of the Emissions Report in accordance with this Part and the approved Emissions Monitoring Plan ;

(c) the aeroplane operator has correctly applied the method of flight attribution documented in the approved Emissions Monitoring Plan and in accordance with subsection 16.20.1.3, paragraph (b)., to ensure a correct attribution of leased aeroplane and international flights operated by other aeroplane operators under the same corporate structure ;

(d) the stated amount of emissions reductions from the use of CORSIA eligible fuels is materially fair and an accurate representation of emissions reductions over the reporting period, and is supported by sufficient and appropriate internal and external evidence ;

(e) the claimed batches of CORSIA eligible fuels have not also been claimed by the aeroplane operator under any other voluntary or mandatory schemes it has participated in (where the emissions reductions from CORSIA eligible fuels may be claimed), during the current compliance period, as well as the compliance period immediately preceding it ; and

(f) the aeroplane operator has monitored, calculated and reported its emissions reductions associated from the use of CORSIA eligible fuels over the period of the reporting period in accordance with this Part.

When conducting the verification of an Emissions Unit Cancellation Report, the verification body shall perform sufficient procedures to conclude whether :

(a) The aeroplane operator has accurately reported cancellations of its CORSIA Eligible Emissions Units in accordance with this Part.

(b) the stated number of cancelled CORSIA Eligible Emissions Units is sufficient for meeting the aeroplane operator's total final offsetting requirements associated with the relevant compliance period, after accounting for any claimed emissions reductions from the use of CORSIA eligible fuels, and the aeroplane operator can demonstrate sole right of use to such cancelled CORSIA Eligible Emissions Units ; and

(c) the eligible emissions units cancelled by the aeroplane operator to meet its offsetting requirements under this Part have not been used by the aeroplane operator to offset any other emissions.

## **2. Scope (ISO 14064-3:2006 section 4.3.4)**

When conducting the verification of an Emissions Report, the scope of the verification shall reflect the period of time and information covered by the report and the CORSIA eligible fuels claim(s) where applicable. This includes :

(a) CO<sub>2</sub> emissions from aeroplane fuel monitoring methods, calculated in accordance with Subpart 16.21.2 ; and

(b) Emissions reductions from the use of CORSIA eligible fuel(s).

The scope of the verification of the CORSIA eligible fuel claim(s) in the Emissions Report shall include the following :

(a) Any internal aeroplane operator procedures for CORSIA eligible fuels, including aeroplane operator controls to ensure the claimed CORSIA eligible fuels satisfies the CORSIA Sustainability Criteria ;

(b) Checks for double claiming are limited to the specific aeroplane operator. Any findings outside of this scope are not relevant for the verification statement, however they shall still be included in the Verification Report for further consideration by the State ;

(c) Assessment of verification risk with appropriate changes to the verification plan ; and

(d) Assessment of whether there is sufficient access to relevant internal and external information to obtain sufficient confidence in each CORSIA eligible fuel claim. Further information should be sought directly from the fuel producer with direct access facilitated through the aeroplane operator.

When conducting the verification of an Emissions Unit Cancellation Report, the scope of the verification shall reflect the period of time and information covered by the report and the verification body shall confirm that the cancelled

eligible emissions units used to meet the aeroplane operator's offsetting requirements under this Part have not been used to offset any other emissions.

**4.0. Materiality (ISO 14064-3:2006 section 4.3.5)**

4.1. When conducting the verification of an Emissions Report, the verification body shall apply the following materiality thresholds :

(a) of 2 per cent for aeroplane operators with annual emissions on international flights subject to Section 16.21.2, 16.21.3 and 16.21.4 requirements above 500 000 tonnes ; and

(b) of 5 per cent for aeroplane operators with annual emissions on international flights subject to Section 16.21.2, 16.21.3 and 16.21.4 requirements equal or less than 500 000 tonnes of CO<sub>2</sub>.

4.2. When conducting the verification of an Emissions Report, the over and understatements in 4.1 shall be allowed to balance out in both cases.

**5.0. General (ISO 14064-3:2006 section 1.4.4.1)**

Prior to the development of the verification approach, the verification body shall assess the risk of misstatements and non-conformities and their likelihood of a material effect on the basis of a strategic analysis of the aeroplane operator's greenhouse gas emissions information<sup>1</sup>. Depending on the information obtained during the verification, the verification body shall revise the risk assessment and modify or repeat the verification activities to be performed.

**6.0. Validation or verification plan (ISO 14064-3:2006 section 4.4.2).**

The verification team shall prepare the verification plan on the basis of the strategic analysis and assessment of risks. The verification plan shall include a description of the verification activities for each variable that has a potential impact on the reported emissions. The verification team shall consider the assessment of risk, and the requirement to deliver a verification opinion with reasonable assurance, when determining sample size.

The verification plan shall include the following :

- (a) Verification team members, roles, responsibilities and qualifications;
- (b) Any external resources required ;
- (c) Schedule of verification activities ; and
- (d) Sampling plan, including the processes, controls and information to be verified and details of the risk assessment conducted to identify these.

**7.0. Sampling plan (ISO 14064-3:2006 section 4.4.3).**

7.1. The Emissions Report sampling plan shall include the following :

- (a) Number and type of records and evidence to be examined ;
- (b) methodology used to determine a representative sample ; and
- (c) Justification for the selected methodology.

**7.2.** When conducting the verification of an Emissions Unit Cancellation Report, the verification body shall not rely on sampling. Definitions of strategic analysis and the assessment of risks are contained in the IAF Mandatory Document for the Application of ISO 14065: 2013, Issue 2 (IAF MD 6:2014).

**8.0. Assessment of GHG data and information (ISO 14064-3:2006 section 4.6).**

The verification team shall confirm that the Emissions Report data has been collected in accordance with the approved Emissions Monitoring Plan and monitoring requirements specified in this Part.

In accordance with the Emissions Report sampling plan, the verification body should carry out substantive data testing consisting of analytical procedures and data verification to assess the plausibility and completeness of data. The verification team shall, as a minimum, assess the plausibility of fluctuations and trends over time or between comparable data items as well as identify and assess immediate outliers, unexpected data, anomalies, and data gaps.

Depending on the outcome of Emissions Report data testing and assessment, the assessment of risk, verification and sampling plans shall be amended, where necessary.

**9.0. Evaluation of the GHG assertion (ISO 14064-3:2006 section 4.8)**

The verification body shall use an independent reviewer not involved in the verification activities to assess the internal verification documentation, and the Verification Report, prior to its submission to the aeroplane operator and State.

The independent review, whose scope includes the complete verification process, shall be recorded in the internal verification documentation.

The independent review shall be performed to ensure that the verification process has been conducted in accordance with ISO 14065:2013, ISO 14064-3:2006 and this Part, and that the evidence gathered is appropriate and sufficient to enable the verification body to issue a Verification Report with reasonable assurance.

**10. Validation and verification statement (ISO 14064-3:2006 section 4.9)**

The verification body shall submit a copy of the Verification Report to the aeroplane operator. Upon authorization by the aeroplane operator, the verification body shall forward a copy of the Verification Report together with the Emissions Report, the Emissions Unit Cancellation Report, or both, to the State. The Verification Report shall include :

- (a) names of the verification body and verification team members ;
- (b) time allocation (including any revisions and dates) ;
- (c) scope of the verification ;
- (d) main results of impartiality and avoidance of conflict of interest assessment ;

## **B 3800**

- (e) criteria against which the Emissions Report was verified ;
- (f) aeroplane operator information and data used by the verification body to cross-check ;
- (g) data and carry out other verification activities ;
- (h) main results of the strategic analysis and assessment of risk ;
- (i) description of verification activities undertaken, where each was undertaken (on-site vs off- site) and results of checks made on the CO<sub>2</sub> emissions information system and Controls ;
- (j) description of data sampling and testing conducted, including records or evidence sampled, sample size, and sampling method(s) used ;
- (k) the results of all data sampling and testing, including cross-checks ;
- (l) compliance with the Emissions Monitoring Plan; any non-compliances of the Emissions Monitoring Plan with this Part ;
- (m) non-conformities and misstatements identified (including a description of how these have been resolved) ;
- (n) conclusions on data quality and materiality ;
- (o) conclusions on the verification of the Emissions Report ;
- (p) conclusions on the verification of the Emissions Unit Cancellation Report ;
- (q) justifications for the verification opinion made by the verification body ;
- (r) Results of the independent review and the name of the independent reviewer ; and
- (s) Concluding verification statement.

**10.2.** When conducting the verification of an Emissions Unit Cancellation Report, only 3.10.1 (a), (b), (c), (d), (f), (g), (h), (m), (p), (q), (r) and (s) shall be applicable.

**10.3.** The verification body shall provide a conclusion on each of the verification objectives listed in 3.2, as applicable, in the concluding verification statement.

**10.4.** When conducting the verification of an Emissions Report or an Emissions Unit Cancellation Report, the verification body shall choose between two types of verification opinion statements, either 'verified as satisfactory' or 'verified as not satisfactory'. If the report includes non-material misstatements and / or non-material non- conformities, the report shall be verified as satisfactory with comments', specifying the misstatements and non- conformities. If the report contains material misstatements and / or material non- conformities, or if the scope of the verification is too limited or the verification body is not able to obtain sufficient confidence in the data, then the report shall be 'verified as not satisfactory'.

### **11. Validation or verification records (ISO 14064-3:2006 section 4.10)**

On request of the Authority, the verification body shall disclose the internal verification documentation on a confidential basis to the Authority.

Where issues that may render a previously issued verification statement invalid or inaccurate are brought to the attention of the verification body, then it should notify the Authority

**IS: 16.7. 1.1. VERIFICATION BODY****(a) Requirements for a Verification Body.**

1. *Introduction Note.* — the procedures specified in this Implementing Standard are concerned with the verification requirements in Subpart 16.21.4 of this Part .

**2. Verification Body**

The verification body shall be accredited to ISO 14065:2013, and meet the following additional requirements in order to be eligible to verify the Emissions Report, and the Emissions Unit Cancellation Report where applicable, of an aeroplane operator.

*Note.*— the following documents shall be used as normative references that provide guidance for the application of this Part.

(a) Environmental Technical Manual (Doc 9501), Volume IV – Procedures for demonstrating compliance with the Carbon Offsetting and Reduction Scheme for International Aviation (CORSIA) ;

(b) The International Accreditation Forum (IAF) document entitled, “IAF Mandatory Document for the Application of ISO 14065:2013 (IAF MD 6:2014)” ; and

(c) The International Organization for Standardization (ISO) document entitled, “ISO 14066:2011 Greenhouse gases Competence requirements for greenhouse gas validation team and verification teams”.

**Avoidance of conflict of interest (ISO 14065:2013 section 5.4.2)**

If the leader of the verification team undertakes six annual verifications for one aeroplane operator, then the leader of the verification team shall take a three consecutive year break from providing verification services to that same aeroplane operator. The six year maximum period includes any greenhouse gas verifications performed for the aeroplane operator prior to it requiring verification services under this Part.

The verification body, and any part of the same legal entity, shall not be an aeroplane operator, the owner of an aeroplane operator or owned by an aeroplane operator.

The verification body, and any part of the same legal entity, shall not be a body that trades emissions units, the owner of a body that trades emissions units or owned by a body that trades emissions units.

The relationship between the verification body and the aeroplane operator shall not be based on common ownership, common governance, common management or personnel, shared resources, common finances and common contracts or marketing.

The verification body should not take over any delegated activities from the aeroplane operator with regard to the preparation of the Emissions Monitoring Plan, the Emissions Report (including monitoring of fuel use and calculation of CO<sub>2</sub> emissions) and the Emissions Unit Cancellation Report.

To enable an assessment of impartiality and independence by the national accreditation body, the verification body shall document how it relates to other parts of the same legal entity.

**2.3. Management and personnel (ISO 14065:2013 section 6.1).**

The verification body shall establish, implement and document a method for evaluating the competence of the verification team personnel against the competence requirements outlined in ISO 14065:2013, ISO 14066:2011 and paragraphs 2.4, 2.5 and 2.6 of this Implementing Standard.

The verification body shall maintain records to demonstrate the competency of the verification team and personnel in accordance with paragraph 2.4 of this Implementing Standard. 2.4 Competencies of personnel (ISO 14065:2013 section 6.2) The verification body shall :

- (a) identify and select competent team personnel for each engagement ;
- (b) ensure appropriate verification team composition for the aviation engagement ;
- (c) ensure the verification team, at a minimum, includes a team leader who is responsible for the engagement planning and management of the team ;
- (d) ensure continued competence of all personnel conducting verification activities, including continual professional development and training for verifiers to maintain and/or develop competencies ; and
- (e) Conduct regular evaluations of the competence assessment process to ensure that it continues to be relevant for this Part.

**Validation or verification team knowledge (ISO 14065:2013 section 6.3.2)**

The verification team as a whole, and the independent reviewer, shall demonstrate knowledge of :

- (a) the requirements as outlined in this Part , the Assembly Resolution A39-3, the Environmental Technical Manual (Doc 9501), Volume IV – Procedures for demonstrating compliance with the Carbon Offsetting and Reduction Scheme for International Aviation (CORSIA), and any public ICAO explanatory material ;
- (b) the verification requirements as outlined in this Part , and Environmental Technical Manual (Doc 9501), Volume IV – Procedures for demonstrating compliance with the Carbon Offsetting and Reduction Scheme for International Aviation (CORSIA), including materiality threshold, verification criteria, verification scope and objectives and the Verification Report preparation and submission requirements ;

(c) the eligibility criteria for technical exemptions, scope of applicability, State pair phase-in rules, and State pair coverage as outlined in this Part and the Assembly Resolution A39-3; d) the monitoring requirements as outlined in this Part ; and

(e) the national requirements in addition to the provisions set out in this Part . 2.5.2 When conducting the verification of an Emissions Unit Cancellation Report, only 2.5.1 (a), (b) and (e) shall be applicable.

**Validation or verification team technical expertise (ISO 14065:2013 section 6.3.3)**

The verification team as a whole, and the independent reviewer, shall demonstrate knowledge in the following technical competencies :

- (a) general technical processes in the field of civil aviation ;
- (b) aviation fuels and their characteristics, including CORSIA eligible fuel ;
- (c) fuel related processes including flight planning and fuel calculation ;
- (d) relevant aviation sector trends or situations that may impact the CO<sub>2</sub> emissions estimate ;
- (e) CO<sub>2</sub> emissions quantification methodologies as outlined in this Part , including assessment of Emissions Monitoring Plans ;
- (f) fuel use monitoring and measurement devices, and related procedures for monitoring of fuel use related to greenhouse gas emissions, including procedures and practices for operation, maintenance and calibration of such measurement devices ;
- (g) greenhouse gas information and data management systems and controls, including quality management systems and quality assurance / quality control techniques ;
- (h) aviation related IT systems such as flight planning software or operational management systems ;
- (i) knowledge of approved CORSIA Sustainability Certification Schemes relevant for CORSIA eligible fuels under this Part , including certification scopes ; and
- (j) Basic knowledge of greenhouse gas markets and emissions units programme registries.

**2.6.2.** Evidence of the above competencies should include proof of relevant professional experience, complemented by appropriate training and education credentials.

**2.6.3.** When conducting the verification of an Emissions Report, 2.6.1(a) to (i) shall be applicable.

**2.6.4.** When conducting the verification of an Emissions Unit Cancellation Report, only 2.6.1 (g) and (j) shall be applicable.

Validation or verification team data and information auditing (ISO 14065:2013 section 6.3.4)

**2.7.1.** The verification team as a whole shall demonstrate detailed knowledge of ISO 14064- 3:2006, including demonstrated ability to develop a risk-based verification approach, perform verification procedures including assessing data and information systems and controls, collect sufficient and appropriate evidence and draw conclusions based on that evidence.

**2.7.2** Evidence of data and information auditing expertise and competencies shall include previous professional experience in auditing and assurance activities, complemented by appropriate training and education credentials.

Use of contracted validators and verifiers (ISO 14065:2013 section 6.4).The verification body shall document roles and responsibilities of the verification personnel, including contracted persons involved in the verification activity.

**Outsourcing (ISO 14065:2013 section**

The verification body shall not outsource the final decision on the verification and the issuance of the verification statement.

The independent review shall only be outsourced as long as the outsourced service is appropriate, competent, and covered by the accreditation.

Confidentiality (ISO 14065:2013 section 7.3) The verification body shall ensure it has the express consent of the aeroplane operator prior to submission of the verified Emissions Report, the Emissions Unit Cancellation Report where applicable, and the Verification Report to the Authority. The mechanism for authorizing this consent shall be specified in the contract between the verification body and aeroplane operator.

Records (ISO 14065:2013 section 7.5) The verification body shall keep records on the verification process for a minimum of ten years, including :

- (a) client's Emissions Monitoring Plan, Emissions Report and Emissions Unit Cancellation Report where applicable ;
- (b) Verification Report and related internal documentation ;
- (c) identification of team members and criteria for selection of team ; and
- (d) Working papers with data and information reviewed by the team in order to allow for an independent party to assess the quality of the verification activities and conformance with verification requirements.

Agreement (ISO 14065:2013 section 8.2.3) The contract between verification body and aeroplane operator shall specify the conditions for verification by stating :

- (a) scope of verification, verification objectives, level of assurance, materiality threshold and relevant verification standards (ISO 14065, ISO 14064-3, this Part and the Environmental Technical Manual, Volume IV) ;
- (b) amount of time allocated for verification ;
- (c) flexibility to change time allocation if this proves necessary because of findings during the verification ;

(d) conditions which have to be fulfilled to conduct the verification such as access to all relevant documentation, personnel and premises ;

(e) requirement of the aeroplane operator to accept the audit as a potential witness audit by national accreditation body's assessors ;

(f) requirement of the aeroplane operator to authorize the release of the Emissions Report, the Emissions Unit Cancellation Report, where applicable, and the Verification Report by the verification body to the Authority ; and

(g) Liability coverage.

